

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK STRONG STUFF WET GRAB
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA
Immeuble "Le Jade"
253 Avenue du President Wilson
93211 La Plaine Saint Denis
France
Tel: +33 (0)1 55 99 90 00
Fax: +33 (0)1 55 99 90 01

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

Special provisions concerning the labelling of certain mixtures
EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use
P102 - Keep out of reach of children
P101 - If medical advice is needed, have product container or label at hand

2.3. Other Hazards

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

General Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1 - <3	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
1-Propanamine, 3-(trimethoxysilyl)-	237-511-5	13822-56-5	1- <2.5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119510159-45 -XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
Self-Protection of the First Aider	First aider: Pay attention to self-protection.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	None known.
----------	-------------

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Large Fire

When a large quantity of this material is involved in a major fire, consider an initial evacuation distance of 300 metres (1000 feet) in all directions.

Unsuitable Extinguishing Media

Strong water jet

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO₂). Halogenated hydrocarbons. Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Fire prevention measures. No special

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

measures are necessary.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from food, drink and animal feedingstuffs. Recommended storage temperature. 10 - 35 °C. Keep from freezing. Keep container tightly closed and dry. Product cures with moisture.

7.3. Specific end use(s)

Specific Use(s)

Sealant. Observe technical data sheet.

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	European Union	Ireland	United Kingdom
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³ S*	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 600 ppm STEL: 780 mg/m ³ Skin	STEL: 250 ppm STEL: 333 mg/m ³ TWA: 200 ppm TWA: 266 mg/m ³ Skin
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	STEL: 30 mg/m ³ total inhalable STEL: 12 mg/m ³ respirable TWA: 10 mg/m ³ total inhalable TWA: 4 mg/m ³ respirable
Stearic acid, sodium salt 822-16-2	-	TWA: 10 mg/m ³ STEL: 30 mg/m ³	-

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles). Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.

Hand Protection

Wear suitable gloves. Gloves must conform to standard EN 374. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Wear protective butyl rubber gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Wear protective nitrile rubber gloves. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 180 min.

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Skin and Body Protection Respiratory Protection

None under normal use conditions.
No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.
Recommended filter type: Brown.

Environmental Exposure Controls Do not allow uncontrolled discharge of product into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Paste
Colour	White
Odour	Slight
Odour Threshold	Not applicable

Property	Values	Remarks • Method
pH	7	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	> 100 °C / > 212 °F	CC (closed cup)
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	7000 - 13000 mPa s	@ 20 °C

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	1.4 g/cm ³
Bulk Density	No data available
VOC content (%)	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Product cures with moisture.

10.2. Chemical stability

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None known.

10.4. Conditions to avoid

Protect from moisture. Product cures with moisture. Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

Water.

10.6. Hazardous decomposition products

None under normal use and recommended storage conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

In vitro Bovine Corneal Opacity and Permeability tests (BCOP test; OECD 437) have been carried out on this product.

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	The test item induced a mean In-vitro irritancy score ≤ 3 , the test item was considered as a test chemical not requiring classification for eye irritation or serious eye damage (UN GHS No Category).
Skin Contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Sensitisation	No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	May cause damage to organs through prolonged or repeated exposure.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration hazard	Not applicable.

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

ATEmix (inhalation-vapour) 367.00 mg/l

Component Information

Toxicity Data

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg (Rat) OECD 401	= 3360 µL/kg (Rabbit)	-
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	LD50 (rat) > 2000 mg/ kg (2,97 ml/kg)	LD50 (rabbit) > 2000 mg/kg (11,3 ml/kg)	-

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Classification is shown in section 2 of this SDS

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	L50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)	
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient

No information available

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IATA

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Silicic acid (H ₄ SiO ₄), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane	93925-43-0	3 20 40

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STOT (RE): Specific target organ toxicity - Repeated exposure

STOT (SE): Specific target organ toxicity - Single exposure

STEL
*

STEL (Short Term Exposure Limit)
Skin designation

Safety Data Sheet

EVO-STIK STRONG STUFF WET GRAB
Supersedes Date: 21-Mar-2018

Revision Date 21-Mar-2018
Revision Number 1

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 21-Mar-2018

Indication of changes

Revision Note SDS sections updated: 2, 16.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet