CE

Building & DIY Products You Can Trust
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424
Fax: +44 (0) 113 240 0024
e-mail: info@everbuild.co.uk
website: www.everbuild.co.uk

# CONSTRUCTION PRODUCTS REGULATION

# DECLARATION OF PERFORMANCE

## No: PLUMBG/1-CPR/ 2014

Substrate: Anodized Aluminium

Primer: No primer used

| | |
|---|---|
| 1. Identification Code | **PLUMBERS GOLD**<br>**Codes: PLUMBGCL/WE** |
| 2. Type, Batch and/or Serial Number | **- For batch number - see packaging** |
| 3. Intended use | **Sealant for non-structural use in joints in buildings and pedestrian walkways Part 1: Sealants for Façade elements** |
| 4. Manufacturer | **Everbuild Building Products ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW** |
| 5. Authorised Representative | **Not Applicable** |
| 6. Assessment and Verification of Constancy of Performance | **System 3** |
| 7. Notified Body and Tasks | **SKZ Notified Body No. 1213** |
| 8. European Technical Assessment | **Not Applicable** |
| 9. Declared Performance | **TO EN15651-1 (2012)** |
| Type | **F EXT-INT-CC** |
| Classification | **F20LM** |
| Reaction to Fire | **Class E** |

Building & DIY Products You Can Trust
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424
Fax: +44 (0) 113 240 0024
e-mail: info@everbuild.co.uk
website: www.everbuild.co.uk

| | |
|---|---|
| Loss of Volume ISO10563 | **≤10%** |
| Resistance to flow ISO7390 | **≤3 mm** |
| Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590 | **NF** |
| Adhesion/cohesion properties (-30°C) | **NF** |
| Durability | **Pass** |

Substrate: Anodized Aluminium

Primer: No primer used

| | |
|---|---|
| 1. Identification Code | **PLUMBERS GOLD**<br><br>**Codes: PLUMBGCL/WE** |
| 2. Type, Batch and/or Serial Number | **- For batch number - see packaging** |
| 3. Intended use | **Sealant for non-structural use in joints in buildings and pedestrian walkways Part 3: Sealants for Sanitary elements** |
| 4. Manufacturer | **Everbuild Building Products ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW** |
| 5. Authorised Representative | **Not Applicable** |
| 6. Assessment and Verification of Constancy of Performance | **System 3** |
| 7. Notified Body and Tasks | **SKZ Notified Body No. 1213** |
| 8. European Technical Assessment | **Not Applicable** |
| 9. Declared Performance | **TO EN15651-3 (2012)** |

Building & DIY Products You Can Trust
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424
Fax: +44 (0) 113 240 0024
e-mail: info@everbuild.co.uk
website: www.everbuild.co.uk

| | |
|---|---|
| Type | **S** |
| Classification | **XS2** |
| Reaction to Fire | **Class E** |
| Loss of Volume ISO10563 | **≤20%** |
| Resistance to flow ISO7390 | **≤3 mm** |
| Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590 | **NF** |
| Action of the microorganisms : Intensity of growth ISO 846, method B | **1** |
| Durability | **Pass** |

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 . The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington – Head of Technical P.R. Thomas – Technical Manager



Dated: Leeds, 1/7/14