

#### **SAFETY DATA SHEET**

## Surface Medic 70% Isopropanol/Water wipes

according to 1907/2006/EC, Article 31

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name	Surface Medic 70% Isopropanol/water wipes
--------------	---

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

	(SU22) professional uses: Public domain (administration, education,
Product Use	entertainment, services, craftsmen);(PC35) washing and cleaning products
	(including solvent based products).

## 1.3 Details of the supplier of the safety data sheet

Company	Three-Sixty	
	Unit 65	
	Mochdre Industrial Estate	
Address	Newtown	
	Powys	
	SY16 4LE	
Telephone	01686 627595	
Fax	01686 610015	
Email	Email customer@three-sixty.org.uk	

## 1.4 Emergency telephone number

Emergency tel.	01686 627595
Company	Three-Sixty

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance mixture

2.1.1. Classification - 67/548/EEC	F;R11 Xi; R36 R67 Symbols: f: Highly flammable. Xi Irritant.
Main hazards	Highly Flammable. Causes serious eye irritation. Vapours may cause drowsiness and dizziness.
2.1.2. Classification- EC 1272/2008	Flam. Liq.2: H225: Eye Irrit. 2: H319; STOT SE 3: H336.



Hazard pictograms	<b>∧</b> ∧
	1 whe
	• (2)
Signal word	Danger
Hazard statement	Flam. Liq. 2: H225 – Highly flammable liquid and vapour.
	Eye Irrit 2: H319 – Causes serious eye irritation.
Precautionary Statement:	STOT SE 3: H336 - May cause drowsiness or dizziness.
Prevention	P102 – Keep out of reach of children.
	P103 – Read label before use.
	P210 – Keep away from heat/sparks/open flames/hot surfaces. – No
	smoking. P233 – Keep container tightly closed.
	P264 – Wash thoroughly after handling.
	P271 - Use in well-ventilated area.
	P280 – Wear protective gloves/eye protection.
Dungan stip many Chatana anti-	P101 - If medical advice is needed, have product container or label at hand.
Precautionary Statement:	P301+P312-IF SWALLOWED: Call a POISON CENTER or doctor/physician if
Response.	you feel unwell.
	P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P305+P353+P338 – IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/ physician if you feel unwell.
	P337+P313 - If eye irritation persists: Get Medical advice/Attention.
	P370+P378 – In case of fire: Use extinguishing media appropriate to the
Precautionary Statement:	surrounding fire conditions. Alcohol resistant foam, Carbon dioxide (CO <sup>2</sup> )
Storage	for extinction.
Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store
Precautionary Statement:	locked up.
Disposal	P501 - Dispose of contents/container to a licensed waste disposal company
.	in compliance with local and national regulations.
2.3 Other hazards	compliance management repaidment.
Other hazards	This product does not contain any PBT or VPvB substances.
Other mazarus	This product does not contain any r or vi vo substances.
Further Information.	
Detergent Labelling	70%v/v Isopropyl Alcohol
Detergent Labening	, 0,01,1 10001000101



# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Chemical Name	Index No	CAS No	EC No	Reach Registration No.	Conc	(%w/w) Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-	7	60 -70%	6 Flam. Liq.2: H225: Eye Irrit.2: H319; STOT SE 3; H336:

#### 3.2. Mixtures

See section 3.1. For further information.

SECTION 4: First aid measures				
4.1 Description of first aid measures				
Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation or symptoms				
	persist.			
	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.			
Eye Contact Skin Contact				
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.			

# 4.2 Most important symptoms and effects, both acute and delayed

Inhalation		Vapours may cause drowsiness and dizziness.
Eye Contact Skin Contact	Causes serious eye irritation.	
	There may be irritation and redness at the site of contact.	
	Ingestion	There may be soreness and redness of the mouth and throat.

# 4.3 Indication of any immediate medical attention and special treatment needed

If you feel unwell seek medical advice (show the label where possible) no
specific first aid measures noted.



	SECTION 5: Fire fighting methods			
5.1 Extinguishing media				
<u> </u>	Alcohol resistant foam. Carbon dioxide (CO <sup>2</sup> ) Use extinguishing media			
	appropriate to the surrounding fire conditions.			
5.2 Special hazards arising f	rom the substance or mixture			
	Vapour may travel considerable distance to source of ignition and flash back.			
5.3 Advice for fire fighters				
	Protective equipment. Wear suitable respiratory equipment when necessary.			
	necessury.			
	SECTION 6: Accidental release measures			
6.1 Personal precautions, p	rotective equipment and emergency procedures			
	Eliminate all sources of ignition. Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Surfaces contaminated with the product will become slippery.			
6.2 Environmental precauti	ons			
	Do not allow product to enter drains. Do not flush into surface water.			
6.3 Methods and material f	or containment and cleaning up			
	Transfer to suitable, labelled container for disposal.			
6.4 Reference to other sect	ions			
	For waste disposable see section 13.			
	'			
	SECTION 7: Handling and storage			
7.1 Precautions for safe har				
	Avoid sparks, flames, heat and sources of ignition. Avoid contact with skin and eyes. Do not eat drink or smoke in areas where this product is used or stored. Wash hands after handling the product. Adopt best manual handling considerations when handling, carrying or dispensing.			
7.2 Conditions for safe stor	age, including any compatibilities			
	Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.			
7.3 Specific end use(s)				
, , , ,	Restricted to professional users.			



S	SECTION 8: Exposure controls/personal protection			
8.1 Control parameters	71 1			
·				
8.1.1 Exposure limit values				
Isopropanol (	WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m³: 999			
Propan-2-ol)				
	WEL 15min limit ppm: 500 WEL 15-min limit mg/m²: 1250			
8.2 Exposure controls				
8.2.1 Appropriate	Keep in a cool, dry, well ventilated area. No smoking. Keep containers			
Engineering controls	tightly closed.			
8.2.2 Individual	Wear Protective gloves/eye protection.			
protection measures				
Eye/Face protection 8.2.3 Environmental	Provide eye wash station.			
Exposure controls	Do not empty into drains. Do not flush into surface water.			
Skin protection				
	Neoprene gloves.			
	CECTION O. Bh: al and about indicate a state of			
0.1 Information on basis ab	SECTION 9: Physical and chemical properties			
State	hysical and chemical properties			
	Impregnated wet wipes			
Colour Odour	White.			
	Alcoholic. 18.7°c			
Flash point	18.7 C			
	CECTION 40 CONTROL OF THE CONTROL OF			
10.1 Decetivity	SECTION 10: Stability and reactivity			
10.1 Reactivity				
40.2 Chamical stability	Avoid sparks, flames, heat and sources of ignition.			
10.2 Chemical stability	[			
	Stable under normal conditions. Will not decompose if stored and used as			
10.3 Possibility of hazardou	recommended.			
TO'S LOSSIMILITY OF LIGITION				
10.4 Conditions to susid	Strong acids and strong bases. Strong oxidising agents.			
10.4 Conditions to avoid				
	Heat sparks and open flames. Do NOT allow to freeze			
10.5 Incompatible materials	Heat, sparks and open flames. Do NOT allow to freeze.			
10.3 incompatible materials	I			
10 6 Hazardous dasamassi	Strong acids and strong bases. Strong oxidising agents.			
10.6 Hazardous decomposit	T .			
	Burning produces irritating, toxic and obnoxious fumes.			



	SECTION 11: Toxicological information		
11.1 Information on toxicol			
Acute toxicity	Based on available data the classification criteria are not met.		
Skin corrosion/irritation	Based on available data the classification criteria are not met.		
Serious eye	May cause serious eye irritation.		
damage/irritation			
Respiratory or skin	Based on available data the classification criteria are not met.		
Sensitisation			
Germ cell mutagenicity	No mutagenic effects reported.		
Carcinogenicity	No carcinogenic effects reported.		
Reproductive toxicity	No teratogenic effects reported		
STOT-single exposure	Not classified as a specific target organ toxicant after a single exposure.		
STOT- repeated exposure	No classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard	Based on available data the classification criteria are not met.		
11.1.4 Toxicological Information			
	No data available		
	SECTION 12: Ecological information		
12.1 Toxicity			
	No data available		
12.2 Persistence and degrad	dability		
	The surfactants(s) contained in this preparation complies (comply) with the		
	biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on		
	detergents. Data to support this assertion are held at the disposal of the		
	competent authorities of the Member States and will be made available to		
	them, at their direct request or at the request of a detergent manufacturer.		
12.3 Bioaccumulative potential			
	No data is available on this product.		
12.4 Mobility in soil			
	The product is soluble in water.		
12.5. Result of PBT and VPvB assessment			

12.6 Other adverse effects

Not known.



	SECTION 13: Disposal considerations		
13.1 Waste treatment meth	13.1 Waste treatment methods		
	Contact a licensed waste disposal company. Dispose of as special waste in compliance with local and national regulations. For disposal within the EC, the appropriate code to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after Cleaning, if in compliance with, local and national regulations.		
	SECTION 14: Transport Information		
Hazard pictograms			
14.1. UN number			
	UN 3175 Solids containing flammable liquid		
14.2. Un proper shipping name	Solids containing flammable liquid		
	[a		
ADR/RID	Class 4.1 Limited quantities LQ8 Tunnel code (E)		
IMDG	3		
IATA	3		
	Limited Quantity Packing Inst: Y441		
14.4 Packing Group			
Packing group	II		
14.5. Environmental Hazard	s		
Environmental hazards	No		
Marine pollutant	No		
14.6 Special precautions for			
	Not applicable		



#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legalisation specific for the substance or mixture

Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation(EC) No 1488/94 as well as Council Directive 76/69/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks to exposur4e to chemical, physical and biological agents at work.

#### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

#### Other information

Revision	This document differs from previous version in the following areas; 3-Further information. 8-Further information. 16-Glossary.
Text of risk phrases in section 3	R11 – Highly flammable. R36 - Irritating to eyes.
section 5	R67 – vapours may cause drowsiness and dizziness.
Text of Hazard	Flam. Liq.2:H225 – Highly flammable liquid and vapour.
Statements in Section 3	Eye Irrit. 2: H319 – Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness



Glossary.	ADR European Agreement concerning the international Carriage of Dangerous Goods by Road.  IATA International Air Transport Association.  IMDG International Maritime Dangerous Goods.
	PBT Persistent, Bioaccumulative, toxic.
	RID Convention concerning International Carriage by Rail.
	vPvB very persistent, very Bioaccumulative, STOT Specific
	Target Organ Toxicity.
	WEL Workplace Exposure Limit.

# General information

	Only trained personnel should use this material
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material used in combination with any other materials or in any other process. It is the user's responsibility to satisfy him /her as to the suitability of such information for his/her own particular use.