

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 18/03/2021 Version: 10.4

Generated : 18/03/2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier Product form : Mixture Product name : SHADES AERO SUMMER FLOWERS UFI : 3HD3-T0K5-2002-N5UQ Type of product : Aerosol Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture Professional useFor professional use only

: air freshener

1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### SELDEN RESEARCH LIMITED

STADEN LANE BUXTON DERBYSHIRE SK17 9RZ UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk SELDEN EUROPE B.V. WATERMOLEN 13 6229 PM MAASTRICHT NEDERLAND Tel: 00 32 16 53 07 96

Email: info@selden.eu

#### 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

Tel: 00 32 16 53 07 96

## **SECTION 2: Hazards identification**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



H222;H229

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane substance with national workplace exposure limit(s) (IE)	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	10 – 15	Flam. Gas 1A, H220
butane substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	5 – 10	Flam. Gas 1A, H220 Press. Gas
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion 4.2. Most important symptoms and effects	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>High concentration of vapours may induce: headache, nausea, dizziness.</li> <li>Repeated exposure may cause skin dryness or cracking.</li> <li>Causes eye irritation.</li> <li>May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		

Suitable extinguishing media

: Carbon dioxide. Dry powder. Foam.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture	
Fire hazard Explosion hazard	<ul><li>Extremely flammable aerosol.</li><li>Explosion risk in case of fire.</li></ul>
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release meas	ures
6.1. Personal processions, protective or	inment and emergency procedures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	it and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Do not pierce or burn, even after use.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not eat, drink or smoke when using this product.</li> </ul>
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures Storage conditions	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
Incompatible products Incompatible materials Special rules on packaging	<ul> <li>Oxidizing agent. Strong acids. Strong bases.</li> <li>Direct sunlight. Heat sources. Sources of ignition.</li> <li>Keep only in original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological	I limit values	
propane (74-98-6)		
Ireland - Occupational Exposure Limits		
Local name	Propane	
Document generated @ 18/03/2021 13:45:46	Page 3 of 10	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propane (74-98-6)	
OEL TWA [2]	1000 ppm
Notes (IE)	Asphx

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Ireland - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OEL TWA [2]	200 ppm	
OEL STEL [ppm]	400 ppm	
Notes (IE)	Sk	
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018	
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Third edition, 2018). HSE	

butane (106-97-8)	
Ireland - Occupational Exposure Limits	
Local name	Butane
OEL TWA [2]	1000 ppm
United Kingdom - Occupational Exposure Limits	
Local name	Butane
WEL TWA (OEL TWA) [1]	1450 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	600 ppm
WEL STEL (OEL STEL)	1810 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	750 ppm
Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Not required for normal conditions of use

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Not required for normal conditions of use

#### Hand protection:

In case of repeated or prolonged contact wear gloves

Other skin protection Materials for protective clothing:	
Not required for normal conditions of use	
.2.2.3. Respiratory protection	

# Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless.
Odour	: Floral.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.81
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	. Na data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and	reactivity	
10.1. Reactivity		
Pressurised container: May burst if	heated.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous	reactions	
No additional information available		
10.4. Conditions to avoid		
Direct sunlight. Heat. Open flame.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decompositi	on products	
No additional information available		

No additional information available

SECTION 11: Toxicological information		
11.1 Information on toxicological ef	fects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
propan-2-ol; isopropyl alcohol; isopropanol		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
SHADES SUMMER FLOWERS PLA	IN	
Vaporizer	Aerosol	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic)		
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)	
LC50 - Fish [1]	9640 mg/l	
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 1000 mg/l	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Do not pierce or burn, even after use.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1 UN number		
UN-No. (ADR)	: UN 1950	
UN-No. (IMDG)	: UN 1950	
UN-No. (IATA)	: UN 1950	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: AEROSOLS	
Proper Shipping Name (IMDG)	: AEROSOLS	
Proper Shipping Name (IATA)	: Aerosols, flammable	
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1	
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1	
Document generated @ 18/03/2021 13:45:46		Page 7 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
	:
	V
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
	2
1474	•
Transport hazard class(es) (IATA)	: 2.1
Danger labels (IATA)	: 2.1
	2
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
	- N-
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 190, 527, 544, 625
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: Z : V14
Special provisions for carriage - Loading, unloading	
and handling (ADR)	. 673,6712
	· \$2
Special provisions for carriage - Operation (ADR)	: S2 : D
Tunnel restriction code (ADR)	. U
Transport by sea	00 100 077 011 070
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
Document generated @ 18/03/2021 13:45:46	Page 8 of 1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Press. Gas	Gases under pressure	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.