



Acoustic Pods

By **mikomax** smart office.

Silence
Speaks
Volumes



Content

| | |
|-----------------------|-------|
| General Remarks | 3-4 |
| Hush Phone | 5-6 |
| Hush Meet Open | 7-8 |
| Hush Work | 9-10 |
| Hush Work Sit & Stand | 11-12 |
| Hush Meet | 13-14 |
| Hush Meet S | 15-16 |
| Hush Meet L | 17-18 |
| Extras | 19 |
| Fixed Parameters | 20 |
| Finishes | 21-22 |



General Remarks

Prices

For pricing please contact a member of the sales team.

Validity

This price list is valid from the date of issue until notification is given by Edit Office of an increase or change to the quoted pricing.

Commercial & Delivery Terms

Standard terms and conditions apply as stipulated on our order confirmations.

Changes

Edit Office reserves the right to make without notice any changes in materials, specifications or design of the products which having regard to all circumstances it considers to be reasonable or desirable.

Dimensions

Unless otherwise stated, all dimensions are expressed in millimetres (mm), in the following order: width, depth, height (WxDxH).

Quality Certificates

FMB MIKOMAX Sp. z o.o. holds the EN ISO 9001:2015 and ISO 14001:2015 certificate.

Hush Pod Case

The construction of the pod is based on the metal frame and honeycomb board with aluminum nodes. The side walls and the upper finial are made of 3-layer honeycomb boards, 38mm thickness and both sides are melamine covered.

Middle columns are made of 3-layer melamine chipboard, 18mm thickness.

Upholstered Elements

Upholstered panels made of chipboard covered with polyurethane foam, upholstered.
Option: flame retardant polyurethane foam CM 30120.

Hush Phone

Case

The middle column is made of 3-layer melamine chipboard (18mm thickness), finished with 2mm PCV edge bending and with zero-joint edge technology. Power module includes 1x electric; 1x USB port.

The back glass panels are made with glued technology (safety glass). Front glass panel is made of tempered, bonded glass 4.4.4*, with handle.

*4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

Shelf

Shelf dimensions 778 (W) x220 (D) x276 (H), fixed to the middle column, made of middle-density fiberboard (MDF), 38 mm thickness, lacquered.



Table for notebook

Table dimensions 468 (W) x345 (D), opened from the side wall with leather handle, made of natural veneer.

Hush Phone Dimensions

1000 (W) x 900 (D) x 2200 (H)

Fabrics (Code - MIK-HUS-BX-007)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam



Hush Meet Open

Case

The middle column includes a power module (1x electric; 2x USB; 2x RJ45) with the back blend of middle column available in Cosmos grey colour.

Optional cableway Ø 60mm, enables running cables from the TV to inside the column. Chipboard elements are finished with zero-joint edge technology.

Back glass panels are made with glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal.

*5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.



Tabletop

Dimensions 1300 x 770mm (Hush Meet Open) or 810 x 770 mm (Hush Meet Open S), 3-layer melamine chipboard, 25mm thickness. Worktop finished with zero-joint edge, in laser technology.

Hush Meet Dimensions

2150 (W) x 1390 (D) x 2300 (H)

Fabrics (Code - MIK-HUS-BX-010)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam



Hush Work

Case

The middle column includes a light switch and a power module (1x electric; 2x USB; 2x RJ45).

Chipboard elements are finished with zero-joint edge technology. Back and front glass panels are made with glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal. Doors are made of tempered, bonded glass 4.4.4*, with handle.

*4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

*5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.

Worktop

Dimensions 820 x 540mm, honeycomb board, 38mm thickness. Worktop finished with zero-joint edge, in laser technology with aluminum node connecting worktop with the leg.



Shelf

Shelf dimensions 1380 (W) x 202 (D) x 300 (H), fixed to the middle column, made of middle-density fiberboard (MDF), 38 mm thickness, lacquered.

Hush Work Dimensions

1 600 (W) x 1 200 (D) x 2 300 (H)

Fabrics (Code - MIK-HUS-BX-009)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam

Speaker



Hush Work Sit & Stand

Case

The middle column includes a light switch and power module (1x electric, 2x USB, 2x RJ45).

Chipboard elements are finished with zero-joint edge technology. Back and front glass panels are made with glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal. Door panels are made of tempered, bonded glass 4.4.4*, with handle.

* 4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

* 5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.

Worktop

Dimensions 960 x 550mm, 3-layer honeycomb board, 38 mm thickness, both sides melamine faced. Worktop finished with zero-joint edge technology.



Shelf

Adjustment range 670-1220mm. Adjustment mechanism based on counterbalance. Maximum worktop load to move while adjustment - 15 kg.

Hush Work Sit & Stand Dimensions

1600 (W) x 1200 (D) x 2300 (H)

Price (Code - MIK-HUS-BX-016)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam

Speaker



Hush Meet

Case

The middle column includes a power module (1x electric; 2x USB; 2x RJ45) with the back blend of middle column available in Cosmos grey colour.

Optional cableway Ø 60mm, enables running cables from the TV to inside the column. Chipboard elements finished with zero-joint edge technology.

Back and front glass panels are made with glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal. Door panels are made of tempered, bonded glass 4.4.4*, with handle.

*4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

*5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.



Tabletop

Dimensions 1000 x 770mm, 3layer melamine chipboard, 25mm thickness. Worktop finished with zero-joint edge, in laser technology.

Hush Meet Dimensions

2150 (W) x 1390 (D) x 2300 (H)

Fabrics (Code - MIK-HUS-BX-008)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam



Hush Meet S

Case

The middle column includes a power module (1x electric; 2x USB, 2x RJ45) with the back blend of middle column available in cosmos grey colour.

Optional cableway Ø 60mm, enables running cables from the TV to inside the column. Chipboard elements are finished with zero-joint edge technology.

Back and front glass panels are made in the glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal. Door panels are made of tempered, bonded glass 4.4.4* , with handle.

* 4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

* 5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.



Tabletop

Dimensions 535 x 770mm, 3layer melamine chipboard, 25mm thickness. Worktop finished with zero-joint edge, in laser technology.

Hush Meet Dimensions

2150 (W) x 900 (D) x 2300 (H)

Price (Code - MIK-HUS-BX-017)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam



Hush Meet L

Case

The middle column includes a power module (2x electric; 2x USB; 2x RJ45) with the back blend of middle column available in Cosmos grey colour.

Optional cableway Ø 60mm, enables running cables from the TV to inside the column. Chipboard elements are finished with zero-joint edge technology. Back and front glass panels are made with glued technology (safety glass) - 10 mm (5.5.2*) thickness placed in aluminium profiles with acoustic seal. Door panels are made of tempered, bonded glass 4.4.4*, with handle.

*4 mm of tempered glass – 4 layers of acoustic film – 4 mm of tempered glass.

*5mm of tempered glass – 2 layers of acoustic film – 5mm of tempered glass.



Hush Meet L Dimensions

2600 (W) x 1800 (D) x 2300 (H)

Fabrics (Code - MIK-HUS-BX-012)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam



Extras

Hush Meet L (additional module)

Additional modules available to add to Hush Meet L case.

Hush Meet L Dimensions

2600 (W) x 900 (D) x 2300 (H)


Fabrics (Code - MIK-HUS-BX-013)

Upholstery Mura

Upholstery Petrus

Upholstery Wool

Upholstery Wool & Flame retardant foam




Hush Phone Stool

The stool is made of steel, powder coated in Dark Grey JGC. The footrest is integrated with the column.

Column adjustment range: 25 cm (minimum height - 63 cm, maximum height - 88 cm). Maximum pressure: 110 k.

Fabric (Code - MIK-HUS-HO-001)

Upholstery Wool (Dark Grey TGR)



Fixed Parameters

- Seats plinth in cosmos grey colour. (Hush Meet, Hush Meet Open, Hush Meet Open S).
- Back blend of the middle column in cosmos grey (Hush Meet, Hush Work, Hush Meet Open, Hush Meet Open S, Hush Meet L).
- Hinges and handles in anodized aluminum colour (Hush Phone, Hush Meet, Hush Work, Hush Meet L).
- Shelf in white colour, (Hush Phone, Hush Work).
- Profiles for glass and door frame in colour similar to cosmos grey colour (Hush Meet, Hush Phone, Hush Work, Hush Meet L).
- Plinth in cosmos grey colour (Hush Meet, Hush Work, Hush Meet Open, Hush Meet Open S, Hush Meet L).
- Middle column and ceiling panel with LED in the same colour (Hush Work, Hush Meet, Hush Meet Open, Hush Meet Open S, Hush Meet L).
- The colour of the stool's seat: Dark Grey TGR.
- Column colour of the stool: Dark Grey JGC.
- Power module colour correlated with the colour of the middle column:
White column (ABB) - White power module;
Black column (AGC) - Black power module;
Grey column (ASP) - Black power module.
- Back glass is available as Clear PRZ or Matt MGA.

Finishes

Wool

Composition: Wool 70% / Polyester 20% / Other 10%

Weight: 325 gr/m2

Test Martindale: 100000

Fire Protection: Retardance

| Fabric | Colour |
|--------------|--------|
| TBI Biscuit | |
| TCA Cameo | |
| TCL Cloud | |
| TDU Dust | |
| TEG Eggplant | |
| TEM Emerald | |
| TFI Fire | |
| TFU Fuchsia | |
| TGR Grey | |
| THI Chincila | |
| THY Hyacinth | |
| TIN Indigo | |
| TJA Jade | |
| TLI Lichen | |

| Fabric | Colour |
|----------------|--------|
| TMS Mustard | |
| TON Onyx | |
| TOR Orchid | |
| TPC Pelican | |
| TPE Pewter | |
| TPL Plum | |
| TRC Artic | |
| TSG Seagrass | |
| TSI Silver | |
| TSN Sienna | |
| TST Storm | |
| TTE Terracotta | |
| TTM Autumn | |
| TWO Woodbine | |

Mura

Composition: 100% Polyester

Weight: 230-240 gr/m²

Test Martindale: 80000

| Fabric | Colour |
|-------------------------|--------|
| TDI Bright Green | |
| TUM Umbra | |
| TSC Grey | |
| TRO Red | |
| TPU Purple | |
| TOL Olive | |
| TNJ Light Blue | |
| TMA Magnolia | |
| TKH Khaki | |
| THB Ebony | |
| TGY Graphite | |
| TGC Grenade | |
| TFL Violet | |
| TCC Black | |
| TBE Beige | |

| Shell | Colour |
|------------------------|--------|
| ABB White | |
| AGC Cosmos Grey | |

Petrus

Composition: 100% polyester

Weight: 389 gr/m²

Test Martindale: 80000

| Fabric | Colour |
|-----------------------|--------|
| TAG Amber Glow | |
| TCE Icycle | |
| TCS Crocus | |
| TDK Duck | |
| TDM Denim | |
| TER Emperor | |
| TGA Iguana | |
| TKI Kiwi | |
| TMT Magenta | |
| TNT Night | |
| TNX Onyx | |
| TWN Watermelon | |

| Middle Column | Colour |
|------------------------|--------|
| AGC Cosmos Grey | |
| ASP Dusted Grey | |
| ABB White | |





