

*phoenix*  
SAFE COMPANY LIMITED



# PRODUCT GUIDE 2026

WHERE PEACE OF MIND IS GUARANTEED



## MANUFACTURERS OF SAFES SINCE 1799

**Phoenix Safe Company** is one of the oldest UK manufacturers of safes and security products and can trace its history back to Liverpool in 1799.

In 1986, when Phoenix Safe Co was formed the aim was to design and manufacture advanced fire resistant safes to protect the new wealth of data information being produced by computers. The vital importance and catastrophic consequences of the loss of this information demanded a new approach to fire protection.

We are now a world leader, manufacturing and distributing a wide range of state of the art safes to suit all requirements, ranging from residential to commercial security and fire protection.

We specialise in vital records protection for both paper and computer media. All of our fire resistant files and safes carry a life-time after-the-fire replacement warranty.

We have an extensive range of traditional security safes also, designed to protect cash and valuables from £1,000 to £1m as well as a comprehensive range of Steel Storage products.

We welcome the opportunity to help you secure your most important items!



**LUXURY SAFES**

LS6010 SERIES	SPECTRUM PLUS	04
LS7010 SERIES	NEXT PLUS LUXURY SAFE	05

**FIRE SAFES**

FS1280 SERIES	TITAN	06
FS1290 SERIES	TITAN AQUA	07
FS0440 SERIES	FIRE FIGHTER	08
FS1510 SERIES	FIRE RANGER	09
FS1910 SERIES	FIRE COMMANDER	10
FS1920 SERIES	FIRE COMMANDER PRO	11

**FIRE FILES**

FS2250 SERIES	WORLD CLASS VERTICAL FIRE FILE	12
FS2270 SERIES	WORLD CLASS VERTICAL FIRE FILE	13

**DATA SAFES**

DS2000 SERIES	DATA CARE	14
DS2500 SERIES	DATA COMBI	15
DS4620 SERIES	DATA COMMANDER	16

**BATTERY STORAGE**

BS1280 SERIES	BATTERY TITAN	18
BS0440 SERIES	BATTERY FIGHTER	20
BS1940 SERIES	BATTERY COMMANDER PRO	22

**SECURITY SAFES**

SS0721 SERIES	COMPACT HOME & OFFICE SAFES	24
DREAM SERIES	HOME SAFES	25
SS0800 SERIES	VELA HOME & OFFICE SAFES	26
SS0300 SERIES	DIONE HOTEL & LAPTOP SAFES	27
SS1180 SERIES	FORTRESS	28
SS1450 SERIES	FORTRESS	29
SS1460 SERIES	FORTRESS PRO	30

**HIGH SECURITY SAFES**

HS0670 SERIES	VENUS	31
HS1050 SERIES	NEPTUNE	32
HS2050 SERIES	MERCURY	33
HS3550 SERIES	ELARA	34
HS6070 SERIES	PLANET	35
HS9070 SERIES	COSMOS	36

**DEPOSIT SAFES**

SS0800 SERIES	VELA DEPOSIT HOME & OFFICE SAFES	37
SS0991	UNDER COUNTER NOTE DEPOSIT SAFE	38
SS0992	CASHIER DAY DEPOSIT SAFE	39
SS0990 SERIES	CASHIER DEPOSIT	40
HS1090 SERIES	DIAMOND DEPOSIT	41

**UNDERFLOOR SAFES**

UF0600 SERIES	TARVOS – SQUARE DOOR	42
UF0900 SERIES	CHARON – ROUND DOOR	43

**GUN SAFES**

GS8000 SERIES	LACERTA GUN SAFES	44
GS8015 SERIES	TUCANA GUN SAFES	45
GS8020 SERIES	RIGEL GUN SAFES	46























**KEY & CASH BOXES**

CB0100 SERIES	CASH BOXES	47
KC0020 SERIES	KEY BOXES	48
KS SERIES	KEY STORE	49
KS0210 SERIES	PALM	50
KS0020 SERIES	FINGERPRINT KEY SAFE	51
KS0030 SERIES	CYGNUS KEY DEPOSIT SAFES	52
KS0040 SERIES	FORTRESS KEY SAFES	53
KC0600 SERIES	COMMERCIAL KEY CABINETS	54
KC0300 SERIES	DEEP KEY CABINETS	55
KC0500 SERIES	DEEP PLUS & KEY PADLOCK CABINETS	56
KC0070 SERIES	EXTRA SECURITY KEY CABINETS	57
KC0080 SERIES	KEY CONTROL CABINETS	58

**LETTER & PARCEL BOXES**

MB0120 SERIES	ESTILO LETTER BOXES	59
PB0580 SERIES	PARCEL BOX	60

**SYMBOLS KEY**

-  KEY LOCK
-  ELECTRONIC LOCK
-  FINGERPRINT LOCK
-  MECHANICAL LOCK
-  COMBINATION LOCK
-  MULTIPLE LOCK OPTIONS
-  FIRE RESISTANT
-  SECURITY PROTECTION
-  WATER RESISTANT
-  DROP TESTED
-  SUITABLE FOR 17" LAPTOP
-  ALARM
-  BLUETOOTH
-  WIFI
-  ONE TIME CODE
-  2 YEAR GUARANTEE
-  5 YEAR GUARANTEE
-  AFTER FIRE GUARANTEE
-  LIFETIME GUARANTEE
-  GDPR COMPLIANT
-  SELF ASSEMBLY
-  NEXT DAY DELIVERY

TEST AND CERTIFICATION BODIES



**ECB-S**

A globally respected German certification body, ECB-S provides independent testing and certification for safes, strongrooms, ATMs, and security doors. Accredited to ISO/IEC 17065, ECB-S certifications are recognised worldwide as a benchmark for quality and security performance.



**VDMA**

Tested and certified by ECB-S, this standard is increasingly being adopted across energy, defence and critical infrastructure. It includes provisions for blast containment, fire integrity, alarm and shut-off systems, and ventilation control.



**Secured by Design**

An official UK Police initiative, Secured by Design (SBD) accredits a wide range of security products and systems. The scheme promotes products that meet rigorous standards, contributing to safer homes, businesses, and public spaces.

TRADE ORGANISATIONS



**AiS – Association of Insurance Surveyors**

A respected UK body of risk control and reduction experts working across the insurance industry. AiS promotes improved security standards, risk management practices, and collaboration between insurers, surveyors, and security manufacturers.



**BSVTA – British Safe and Vault Trade Association**

The UK’s principal trade body for the safe and vault industry, BSVTA represents manufacturers, suppliers, and service providers, promoting quality standards, independent certification, and ethical business practices throughout the security industry.



**MLA – Master Locksmiths Association**

The leading UK trade association for locksmiths, the MLA promotes professional standards, training, and accreditation across the locksmithing sector, ensuring competence, integrity, and customer confidence in security service providers.



**GDPR Compliance**

Protects personal data by ensuring secure handling, user privacy, and adherence to EU regulations.



**Medical Storage**

Suitable for storage of controlled drugs.

TEST SPECIFICATIONS

**FIRE TEST STANDARDS** – The fire test standards below require that the critical maximum temperature of the following media cannot be exceeded (a) Paper Records – 175°C (b) Digital Media – 120°C (c) Computer Data – 52°C.

**NT FIRE 017-60 Paper** – Requires safe to be heated to 945°C for 1 hour. The maximum temperature inside the cabinet shall not exceed 175°C.

**NT FIRE 017-90 Paper** – Requires safe to be heated to 1050°C for 90 minutes. The maximum temperature inside the cabinet shall not exceed 175°C.

**NT FIRE 017-120 Dis** – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 52°C.

**NT FIRE 017-120 Paper** – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 175°C.

**EN1047-120 Dis** – Requires safe to be heated to over 1100°C for 2 hours. Internal temperature shall not exceed 52°C.

**EN1143-1** – The European norm for resistance to burglary attack with various resistance grades up to Grade 10.

**EN14450-S1** – The European norm for resistance to burglary attack. Grade S1.

**EN14450-S2** – The European norm for resistance to burglary attack. Grade S2.

**EN14470-1** Fire safety storage cabinets – Part 1: Safety storage cabinets for flammable liquids.

**BS EN 1634-1** – Withstanding fire attack means not allowing flames or hot gases to pass.

**LFS 30P, LFS 60P-EN 15659** – Light Fire Resistance where the internal temperature will not exceed 175°C.

**MTC DIP 120-60DM (Grade B)** – Digital Media fire protection where the internal temperature will not exceed 120°C.

**BS 7558:1992 Specification For Gun Cabinets**

Requirements for the construction and security of cabinets intended for the secure storage of firearms and ammunition.

**VDMA 24994:2024-08** – Tested and certified by ECB-S this standard is specifically for Lithium Ion Batteries for internal blast containment from thermal runaway, fire integrity and insulation standards, early-warning alarm and power shut-off protocols, fume management and ventilation integration.

WARRANTY/INSURANCE

All phoenix Fire safes come with a free lifetime ‘after the fire’ replacement warranty and a full 2 year onsite materials and labour warranty. A lifetime warranty applies to KS Series Key Stores. All letter boxes have a 5 year guarantee. A 2 year onsite materials and labour warranty applies to SS1180, SS0990 and HS Series. All other products have a 1 year back to base warranty.

Insurance cover against burglary attack will vary due to location and circumstances. Please check with your underwriter.



**KEY LOCKING** delivers simple, reliable, and time-tested security, our high-quality key locks provide straightforward access control without the need for power or complex technology. Ideal for residential, commercial, and industrial applications, they ensure dependable protection with minimal maintenance.

Each lock comes with multiple keys for added convenience and ease of use.




**ELECTRONIC LOCKING** provides convenient, keyless access with easy multi-user management and quick code updates, ensuring reliable security and streamlined entry control in any environment.

Phoenix Safes offers a variety of carefully selected electronic lock styles to complement each safe range. Our advanced high-security 12-button keypad locks are programmable with user-defined codes, depending on the lock model, and can be easily updated whenever required.



**FINGERPRINT LOCKING** combines advanced biometric security with user-friendly technology. Features include a 12-button touchscreen keypad, battery indicator, internal alarm, multi-user codes, hidden/scrambled code, dual-mode operation, and storage for up to 32 fingerprints.

The KS0020 Series provides an alternative 3–6 digit fingerprint scanner storing up to 20 fingerprints, with an anti-tamper solenoid system for enhanced protection.



**MECHANICAL LOCKING** ensures reliable, durable, and power-free security. Low-maintenance and dependable, it ensures effective protection and straightforward access control—perfect for offices, homes, and industrial settings.

The Phoenix Safe Key Cabinet range features mechanical push-button combination locks with over 8,000 unique codes, paired with convenient push-to-shut latch operation for ease of use and enhanced security.



**COMBINATION LOCKING** offers keyless convenience, enhanced security, and effortless access management. With no keys to lose or duplicate, it provides a simple, durable, and tamper-resistant solution ideal for homes, offices, schools, construction sites, and rental properties.

Our KS Series feature either an easy-to-change four-digit dial combination or a user-friendly, reprogrammable push-button option – designed for reliability and convenience in any setting.



LS6012FB



LS6011FS

**COLOUR OPTIONS**



CHAMPAGNE GOLD (G)



METALLIC SILVER (S)



TITANIUM BLACK (B)

**THE PHOENIX SPECTRUM PLUS LS6010 SERIES** is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum Plus's effortlessly attractive design is available with a range of coloured, brushed stainless steel door panels, allowing you to choose a colour to complement any interior.

- **LOCKING** – Fire Protection (Paper) – Tested to the Swedish NT Fire 017-60 Paper (LS6011F), NT Fire 017-90 Paper (LS6012F) providing up to 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, dual control, multi-user control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or. £20,000 valuables\*.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can be easily seen.
- **COLOUR** – The Spectrum is finished in a high quality scratch resistant dark grey, with interchangeable Stainless Steel door panels available in 3 colours.

**FEATURES**

- Advanced fingerprint locking
- Four internal key hooks, pull out drawer and height adjustable shelf
- Internal LED lighting
- Changeable door panels in three colours - Gold, Silver & Black

MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING	WEIGHT	CAPACITY	SHELVES	
		H x W x D	H x W x D				DRAWER	KEY HOOKS
LS6011F	●●●	515 x 405 x 470mm	410 x 300 x 300mm <sup>+</sup>	410mm	60kg	36 Litres	1/1	4
LS6012F	●●●	640 x 500 x 530mm	515 x 380 x 330mm <sup>+</sup>	505mm	100kg	64 Litres	1/1	4

+ Internal drawer reduces internal height by 50mm (LS6011F) and 95mm (LS6012F). All weights are for the product only and does not include the packaging. \* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





LS7013FAA



LS7013FCC



LS7013FAC



LS7013FCA

**THE PHOENIX NEXT PLUS SERIES** is a masterpiece in design, security and fire protection. Available in a range of stylish colour options using graphite grey and cream top and bottom door panels. It also features a slide and hide lock panel for extra security. The safe is ideal for modern office and homes when the need for discreet protection is required.

- **Fire Protection (Paper)** – Tested to the International NT Fire 017-90 Paper standard, providing 90 minutes fire protection for paper documents.
- **Security Protection** – The safe is recommended for an overnight cash risk of £3,000 or £30,000 valuables\*.
- **Locking** – Fitted with an advanced high security fingerprint and touch panel lock. The lock can store up to 32 different fingerprints. The clear LED display also makes operating the lock extremely easy with a 4-16 digit user code. To further enhance security, the lock also features tamper lockout, internal alarm, dual control, hidden code and unlimited scrambled code and low battery indication as standard.
- **Fixing** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **Construction** – The safe is locked with 4 way locking bolts, each bolt 32mm in diameter for extra strength. Strategic points like the lock and bolts are further protected by thick Anti-Drill steel plate and Re-locking device.
- **Drop Test** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **Colour/Finish** – Stylish door panels available in Anthracite Grey and Cream. Body finished in a high gloss black.


**FEATURES**

- Advanced fingerprint locking
- Luxury drawers with pull out slide rails and two 5mm thick tempered-glass adjustable shelves.
- Stylish door panels available in Anthracite Grey and Cream.



MODEL NUMBER	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES/ DRAWERS
LS7013FAA	●●	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FCC	●●	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FAC	●●	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FCA	●●	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2

\*Internal Drawer: 70x345x280mm. \*Height includes 50mm Plinth. All weights are for the product only and does not include the packaging  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX TITAN** is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- **Fire Protection (Paper)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – **FS1280K** – Fitted with a high quality key lock supplied with two keys. **FS1280E** – Fitted with an advanced high security electronic lock with scrambled code as standard. **FS1280F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables\*.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- Four internal key hooks and pull out drawer.
- (FS1282 & FS1283) height adjustable shelf.
- (FS1280E only) Optional bright internal LED light.



MODEL NUMBER	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWERS/ KEY HOOKS
	H x W x D	H x W x D				
FS1281K/E/F	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0/1/4
FS1282K/E/F	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1/1/4
FS1283K/E/F	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1/1/4

The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



Optional LED Light  
(FS1280E only)



FS1280F





FS1291E

FS1293E

FS1292E

**THE PHOENIX TITAN AQUA** is an ultra-modern and compact range of safes, designed to protect documents, digital media & valuables from fire, water and theft, ideal for residential and business use.

- **Fire Protection (Paper)** – 1hr fire protection for paper documents.
- **Fire Protection (digital media)** – 1hr fire protection for digital media (DVD's, USB sticks & Hard Drives).
- **Water Resistant** – Up to 200mm of water for 24 hours.
- **Locking** – Fitted with an advanced user friendly electronic lock with illuminating keypad, built-in alarm and key override facility (2 keys supplied).
- **Security Protection** – Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- **Construction** – Large 25mm live locking bolts for added protection against attack.
- **Fixing** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **Lighting** – Fitted with a bright LED interior light so the contents can easily be seen, even in the most dimly lit cupboards.
- **Colour** – Finished in a high quality scratch resistant black paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- All models are supplied with a height adjustable shelf, internal door pocket and have automatic slam shut door locking.
- Fitted with a internal LED light.
- (FS1292E and FS1293E) are fitted with 5 internal key hooks.

MODEL NUMBER	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWERS/ KEY HOOKS
	H x W x D	H x W x D				
FS1291E	355 x 470 x 480mm	220 x 330 x 325mm	305mm/47mm	36kg	24 Litres	1/0/0
FS1292E	460 x 470 x 480mm	330 x 330 x 325mm	410mm/47mm	45kg	35 Litres	1/0/5
FS1293E	610 x 530 x 480mm	475+ x 385 x 325mm	550mm/47mm	62kg	60 Litres	1/1/5

The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





FS0441K

FS0444

FS0442E

**THE PHOENIX FIRE FIGHTER** sets new standards for fire and security protection and is an ideal safe for small to medium sized enterprises.

- **Fire Protection (Paper)** – Tested to Swedish NT Fire 017-90 Paper (FS0441 & FS0442), NT Fire 017-120 Paper (FS0444), providing up to 120 minutes fire protection for paper documents.
- **Fire Protection (Digital Media)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **Security Protection** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- **Drop Test** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **Colour** – Finished in a high quality scratch resistant white paint RAL9003.
- **Fixing** – Ready prepared for floor fixing with fixing bolts for concrete supplied.

**FEATURES**

- Each safe comes complete with height adjustable shelf, lockable cash/valuables drawer and key hooks.
- Fitted with automatic slam shut door locking.
- **Locking** – **FS0440K** – Fitted with a high quality key lock supplied with two keys. **FS0440E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS0440F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	LOCKING OPTIONS	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWERS/ KEYHOOKS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
FS0441	K/E/F	640 x 500 x 500mm	510* x 375 x 330mm	440mm/40mm	93kg	63 Litres	1/1/3	5	4	5
FS0442	K/E/F	820 x 520 x 520mm	670* x 380 x 330mm	460mm/40mm	120kg	84 Litres	1/1/3	10	4	5
FS0444	K/E/F	1160 x 655 x 560mm	980* x 475 x 350mm	570mm/40mm	228kg	163 Litres	2/1/5	18	10	12

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.  
+ The internal drawer reduces internal height by 95mm. All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX FIRE RANGER FS1510 SERIES** sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.

- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records at 500°C.
- **SECURITY PROTECTION – FS1510K/E** – Tested to the prestigious European S1 Security standard EN14450 giving cash cover of £2,000 or valuables cover of £20,000.
- **LOCKING – FS1510K** – Fitted with high security double bitting VdS class I key lock. **FS1510E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **JCQ COMPLIANT** – Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1510K only).
- **CONSTRUCTION** – High security 3 way espagnolette bolt work provides great strength and attack resistance.
- **FIXING** – ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- **FS1510K/E** – Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- Key and electronic lock options
- Height adjustable shelves including hanging rails for lateral files.
- JCQ Compliant
- Suitable for medical controlled drug storage



**OPTIONAL COFFER\*\* (FS1512/13/14 only)**

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
FS1511 K/E	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
FS1512 K/E	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
FS1513 K/E	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
FS1514 K/E	1950x1250 x520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	75	70	60

**DATA PROTECTION INSERT – FS1512, FS1513 & FS1514 only)**

FSDPI03	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres				
---------	-------------------	-------------------	---	------	-----------	--	--	--	--

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. \*\*Optional coffer reduces internal height by 385mm. All weights are for the product only and does not include the packaging.





**THE PHOENIX FIRE COMMANDER FS1910 SERIES** offers unrivalled protection for documents, digital media, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM Fire Test standard providing up to 60 minutes fire protection for DVDs, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **FS1910K** – Fitted with a high quality key lock supplied with two keys. **FS1910E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1910F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- Key, electronic and fingerprint lock options
- Height adjustable shelves including hanging rails for lateral files.
- Optional pull out shelves and drawers available.
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
FS1911K/E/F	1160 x 690 x 650mm	980 x 510 x 440mm	650mm/40mm	260kg	220 Litres	2/1	18	12	12
FS1912K/E/F	1685 x 690 x 650mm	1505 x 510 x 440mm	470mm/40mm	340kg	338 Litres	3/1	24	24	24
FS1913KH/EH/FH	1865 x 950 x 650mm	1685 x 770 x 440mm	650mm/40mm	485kg	571 Litres	3/2	50	36	40
FS1914K/E/F	1685 x 1125 x 650mm	1505 x 945 x 440mm	560mm/40mm	554kg	626 Litres	3/2	48	44	40

**DATA PROTECTION INSERT – FSDPI03 (FS1913 & FS1914)**

FSDPI03	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			
---------	-------------------	-------------------	---	------	-----------	---	--	--	--

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.





FS1922E



FS1923



FS1921

Shown with optional data protection insert (FSDPI03). Available for all models.

**THE PHOENIX FIRE COMMANDER PRO FS1920 SERIES** offers unrivalled protection for documents, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the European LFS 60P Fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper documents.
- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security Standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **Locking** – **FS1920K** – Fitted with high security double bitting VdS class I key lock. **FS1920E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out cradles also available.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

☑ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- Approved by UK Police and AiS
- Height adjustable shelves including hanging rails for lateral files.
- Optional pull out cradles also available.
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
FS1921K/E	1200 x 1250 x 585mm	1030 x 1110 x 390mm	570mm/40mm	440kg	445 Litres	2	42	26	28
FS1922K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	690mm/40mm	558kg	549 Litres	4	50	50	40
FS1923K/E	1950 x 1250 x 585mm	1760 x 1110 x 390mm	520mm/40mm	650kg	761 Litres	4	70	65	56

**DATA PROTECTION INSERT – FSDPI03**

FSDPI03	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			
---------	-------------------	-------------------	---	------	-----------	---	--	--	--

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.





**THE PHOENIX WORLD CLASS VERTICAL FIRE FILE SERIES** offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – FS2250 SERIES – 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 90 to 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses.\*\*\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.

**FEATURES**

- Fire and impact tested with water resistant seals
- Lightweight insulation enables floor-safe cabinet use without support.
- GDPR Compliant

- **LOCKING** – **FS2250K** – Fitted with a high quality key lock supplied with two keys. **FS2250E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2250F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2252K/E/F	720 x 530 x 675mm	255 x 385 x 505mm**	140kg	49 Litres	98 Litres	2
FS2254K/E/F	1405 x 530 x 675mm	255 x 385 x 505mm**	266kg	49 Litres	196 Litres	4

DATA PROTECTION INSERT – FSDPI08						
FSDPI08	260 x 380 x 500mm	165 x 282 x 402mm	-	20kg	19 Litres	-

\*\*\* Does not protect against water submersion \*\* Internal dimensions for the drawers † When using Phoenix FSDPI08  
All weights are for the product only and does not include the packaging.





**THE PHOENIX WORLD CLASS VERTICAL FIRE FILE SERIES** series offers unrivalled protection for documents and data in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 90 to 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses.\*\*\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.

**FEATURES**

- Fire and impact tested with water resistant seals
- Lightweight insulation enables floor-safe cabinet use without support.
- GDPR Compliant
- **LOCKING – FS2270K** – Fitted with a high quality key lock supplied with two keys. **FS2270E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2270F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2272K/E/F	765 x 570 x 700mm	265 x 385 x 505mm**	180kg	51 Litres	102 Litres	2
FS2274K/E/F	1450 x 570 x 700mm	265 x 385 x 505mm**	320kg	51 Litres	204 Litres	4

DATA PROTECTION INSERT – FSDPI08						
FSDPI08	260 x 380 x 500mm	165 x 282 x 402mm	-	20kg	19 Litres	-

\*\*\* Does not protect against water submersion \*\* Internal dimensions for the drawers † When using Phoenix FSDPI08  
All weights are for the product only and does not include the packaging.





DS2002K



DS2001K

**THE PHOENIX DATACARE** is designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in residential or business premises.

- **Fire Protection (Data)** – Tested to Swedish NT Fire 017.
  - (i) **DS2001** – 60dis standard, providing 60 minutes fire protection for computer backup tapes.
  - (ii) **DS2002** – 90dis standard, providing 90 minutes fire protection for computer backup tapes.
- **Drop Test** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **Locking** – **DS2000K** – Fitted with a high quality key lock supplied with two keys. **DS2000E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS2000F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **Colour** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- DS2002 is fitted with automatic slam shut locking.



MODEL NUMBER	LOCKING OPTIONS	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ KEY HOOKS	DATA CAPACITY			
		H x W x D	H x W x D					LTO	DAT	DLT	CD-ROM
DS2001	K/E/F	420 x 350 x 430mm	240 x 150 x 195mm	305mm/30mm	43kg	7 Litres	1/4	14	96	14	30
DS2002	K/E/F	600 x 470 x 470mm	380 x 245 x 195mm	440mm/30mm	93kg	18 Litres	2/3	27	225	27	57

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX DATA COMBI** provides fire protection for paper documents, computer diskettes, tapes and all forms of data storage and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- **Fire Protection (Paper)** – Tested to Swedish NT Fire 017-90 Paper (DS2501/DS2502), NT Fire 017-120 Paper (DS2504), provides up to 120 minutes fire protection for paper documents.
- **Fire Protection (Data)** – Tested to Swedish NT Fire 017-90dis (DS2501/DS2502), NT Fire 017-120 data (DS2504), providing up to 120 minutes Fire protection for computer diskettes, tapes and all forms of data storage.
- **Fire Protection (Digital Media)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **Security Protection** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- **Drop Test** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **Fixing** – Ready prepared for floor fixing with fixing bolts for concrete supplied.

**FEATURES**

- Each safe comes complete with height adjustable shelf, lockable drawer and key hooks.
- Fitted with automatic slam shut door locking.
- Water resistant data compartment.
- **Locking** – **DS2500K** – Fitted with a high quality key lock supplied with two keys. **DS2500E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS2500F** – Fitted with an advanced high security touchscreen keypad and fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **Colour** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	LOCKING OPTIONS	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING HANDLE DEPTH	WEIGHT	CAPACITY (MAIN SAFE / DATA SECTION)	SHELVES/ DRAWERS/ KEYHOOKS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
DS2501	K/E/F	640 x 500 x 500mm	510* x 375 x 330mm	440mm/40mm	103kg	63* / 6** litres	1/1/3	0	0	0
DS2502	K/E/F	820 x 520 x 520mm	670* x 380 x 330mm	460mm/40mm	134kg	84* / 6** litres	1/1/3	5	4	0
DS2504	K/E/F	1160 x 655 x 560mm	980* x 475 x 350mm	570mm/40mm	250kg	148* / 14** litres	2/1/5	6	5	6

\*MS = Main Safe. \*\*DC = Data Compartment +Internal drawer and data box reduces internal height by 305mm on DS2501E & DS2502E and 380mm on DS2504E. All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX DATA COMMANDER DS4620 SERIES** is designed to meet the requirement of a large capacity fire protection unit for computer diskettes, tapes and all forms of data storage. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017-120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **LOCKING** – **DS4620K** – Fitted with a high quality key lock supplied with two keys. **DS4620E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code and scrambled code that can be programmed as standard. **DS4620F** – Fitted with an advanced high security touchscreen keypad and fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.

**FEATURES**

- Fire and impact tested with water resistant seals.
- Height adjustable shelves and pull out media trays.
- DS4621 and DS4622 are fitted with automatic slam shut locking.
- GDPR Compliant.

- **Fittings** – Each unit comes complete with height adjustable shelves and pull out media trays.
- **Colour** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company’s vital and important records secure and protected.



MODEL NUMBER	LOCK OPTONS	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS	LTO	DATA CAPACITY DAT	DLT	CD-ROM
DS4621	K/E/F	1160 x 690 x 720mm	885 x 400 x 405mm	595mm/40mm	340kg	143 Litres	2/3	294	1276	294	564
DS4622	K/E/F	1685 x 690 x 720mm	1410 x 400 x 405mm	595mm/40mm	480kg	228 Litres	2/5	462	1972	462	940
DS4623	K/E/F	1685 x 1200 x 720mm	1410 x 800** x 405mm	595mm/40mm	753kg	457 Litres	3/10	924	3944	924	1880
MEDIA DRAWERS		60 x 370 x 397mm	-	-	3kg	-	-	42	116	42	94

\*\* width comprises of two compartments each 395mm wide. All weights are for the product only and does not include the packaging.



Lithium-ion batteries power a wide array of products, from electronics and toys to handheld tools, appliances, electric vehicles, and energy storage systems.

The soaring demand for Lithium-ion batteries is primarily driven by their exceptional 'energy density.' This term refers to the amount of energy stored in a given space. Compared to other battery types, lithium batteries are smaller and lighter while holding the same energy capacity. This compact design has spurred a rapid rise in the adoption of portable and cordless products among consumers.

**UNLOCK THE POWER OF SAFE LITHIUM-ION BATTERY USAGE**

In an age driven by the convenience and reliability of lithium-ion batteries, it's vital to recognise and address the potential risks associated with their usage.

Lithium-ion batteries, hailed for their efficiency and durability, harbor a significant risk if handled improperly. Accidental drops or damage can trigger internal issues, paving the way for potential fires or explosions, particularly during the charging phase.

**DELVING INTO BATTERY FIRE THREATS**


The spectre of a battery fire looms large, characterised by an intense and relentless combustion within the lithium-ion cell. These fires prove daunting to extinguish, fuelled by the fierce heat generated from chemical reactions within the battery. The rapid escalation of flames poses dangerous risks, compounded by the emission of harmful smoke and gases, sometimes escalating into explosions, especially during charging cycles.

Although lithium-ion batteries boast inherent safety features, lapses in handling or unfortunate accidents can escalate cell damage, heightening the fire risk. Strategic measures to avert such incidents encompass proper storage techniques, shielding from direct sunlight while charging, and adhering strictly to compatible charging protocols.


**PROACTIVE STRATEGIES IN MOTION**

Across Europe, regulatory bodies are mulling over stringent regulations concerning the storage of lithium-ion batteries to combat these inherent risks. Enter the Battery Safe – a stalwart defender compliant with European directives, designed to staunchly contain any potential fire outbreak, ensuring peace of mind and safety reassurance.

**AVERAGE BATTERY CAPACITY**



**THERMAL RUNAWAY**



**GLOBAL BATTERY FIRES ARE INCREASING BY MORE THAN 25 PERCENT PER YEAR**



**ELEVATING SAFETY WITH OUR SAFES**

Should a battery fire occur, our battery safes, built with robust fire, impact and security certifications, are designed to effectively contain and mitigate any potential damage to the surrounding environment.

Embrace the future of lithium-ion battery management with confidence, knowing that the Phoenix Battery Safes solutions stand out as steadfast guardians against unforeseen hazards, preserving both property and lives.



BS1281K



BS1283E



BS1282F

Discover **THE BATTERY TITAN SERIES**, expertly crafted to cater to both household and business needs, ensuring secure storage and efficient charging of Lithium-Ion batteries.

Rechargeable batteries come with inherent risks, such as thermal runaway caused by temperature spikes, impact mishaps, or manufacturing defects. This jeopardises safety, potentially leading to battery fires that are hard to extinguish, posing severe threats to life and property.

Opt for the Battery Titan Series for unparalleled peace of mind, boasting a sturdy double-wall design that is fire, impact, and security certified. Choose from three different sizes featuring either key or electronic locking systems, integrated smoke detectors, and built-in power outlets.

Our safes are engineered for easy concrete floor anchoring, equipped with convenient key hooks and pull-out drawers for storage. Plus, find added flexibility with a height-adjustable shelf included in the larger models.

**FEATURES**

- Safe battery storage & charging
- Fire and security protection
- Robust steel construction
- Key or electronic locking
- Pull-out drawer and key hooks with shelf on BS1282/3 models
- Smoke detector & alarm

MODEL NUMBER	LOCKING OPTIONS	MAX. BATTERY CAPACITY	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	DRAWER	INTERNAL KEY HOOKS
BS1281	K/E/F	100Wh	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0	1	4
BS1282	K/E/F	200Wh	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1	1	4
BS1283	K/E/F	350Wh	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1	1	4

The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.



**SPECIFICATIONS**

- **SUITABLE FOR** – The storage and charging of the following battery types – power tools, garden tools, drones, laptop, mobile phone, plus your standard household rechargeable batteries AAA, AA, Type C, Type D, 9V.
- **SMOKE DETECTOR/ALARM** – Fitted with internal smoke detector and external, wireless alarm.
- **CHARGING** – Safely charge your Lithium batteries using the fitted power points – BS1281, 1 Double PDU, 2 sockets, BS1282, 1 Double PDU, 2 sockets, BS1283, 2 Double PDUs, 4 sockets.
- **2 YEAR GUARANTEE** – Two year materials and labour warranty
- **WARNING LABELS** – Fitted with warning label in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** – Double wall construction with internal fill of our patented Styronite F insulation, provide a cabinet of great strength and fire/heat resistance.
- **LOCKING** – Available with key, electronic or fingerprint lock options.  
**BS1280K** – Fitted with a high-quality key lock supplied with two keys.  
**BS1280E** – Fitted with an advanced high security electronic lock with scrambled code as standard.  
**BS1280F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **FIRE PROTECTION** – Tested and certified to the international NT Fire 017-60 standard.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables\*.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **FEATURES** – All models are supplied with internal smoke detector and four internal key hooks and a pull-out drawer. Models BS1282 & BS1283 also benefit from a height adjustable shelf.
- **COLOUR** – Finished in a high-quality scratch resistant white paint RAL9003.



**OPTIONAL FEATURES**

- **Bright internal LED light**  
Illuminates the interior of the safe (BS1280E only).
- **SP Safe monitor**  
For enhanced safety, the cabinet can be fitted with internal temperature and humidity monitor, that links to a mobile phone App and alerts you if the maximum set temperature is breached.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



BS0441K

BS0444F

BS0442E

Explore the **BATTERY FIGHTER SERIES**, meticulously designed to meet the demands of both residential and commercial settings, ensuring reliable storage and effective charging of Lithium-Ion batteries.

Rechargeable batteries carry inherent risks, notably thermal runaway triggered by temperature fluctuations, impacts, or production flaws. These risks imperil safety, potentially leading to hard-to-extinguish battery fires that pose serious threats to lives and property.

Select the Battery Fighter Series for unparalleled peace of mind, featuring a robust double-wall construction that is fire and impact rated. Choose from three size variations with key or electronic locking mechanisms, integrated smoke sensors, and power outlets incorporated.

Our safes are engineered for effortless concrete floor installation, equipped with user-friendly shelves, key hooks, and pull-out drawer for optimal storage convenience.

**FEATURES**

- Safe battery storage & charging
- Fire and security protection
- Robust steel construction
- Key or electronic locking
- 1-3 shelves with pull-out drawer & key hooks.
- Smoke detector & alarm

MODEL NUMBER	LOCKING OPTIONS	MAX. BATTERY CAPACITY	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	DRAWER	INTERNAL KEY HOOKS
BS0441	K/E/F	600Wh	640 x 500 x 500mm	510 <sup>+</sup> x 375 x 330mm	440mm/40mm	93kg	63 Litres	1	1	3
BS0442	K/E/F	800Wh	820 x 520 x 520mm	670 <sup>+</sup> x 380 x 330mm	460mm/40mm	120kg	84 Litres	2	1	3
BS0444	K/E/F	1200Wh	1160 x 655 x 560mm	980 <sup>+</sup> x 475 x 350mm	570mm/40mm	228kg	163 Litres	3	1	5

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

<sup>+</sup>The internal drawer reduces internal height by 95mm. All weights are for the product only and does not include the packaging.



**SPECIFICATIONS**

- **SUITABLE FOR** – The storage and charging of the following battery types – power tools, garden tools, e-bikes/scooters, drones, laptop, mobile phone, plus your standard household rechargeable batteries AAA, AA, Type C, Type D, 9V.
- **SMOKE DETECTOR/ALARM** – Fitted with internal smoke detector and external, wireless alarm.
- **CHARGING** – Safely charge your Lithium batteries using the fitted power points – BS0441, 2 Double PDUs, 4 sockets, BS0442, 3 Double PDUs, 6 sockets, BS0444, 4 Double PDUs, 8 sockets.
- **2 YEAR GUARANTEE** – Two year materials and labour warranty.
- **WARNING LABELS** – Fitted with warning label in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** – Double wall construction with internal fill of our patented Styronite F insulation, provide a cabinet of great strength and fire/heat resistance.
- **LOCKING** – Available with key, electronic or fingerprint lock options.  
**BS0440K** – Fitted with a high-quality key lock supplied with two keys.  
**BS0440E** – Fitted with an advanced high security electronic lock with scrambled code as standard.  
**BS0440F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code, and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **FIRE PROTECTION** – Tested to Swedish NT Fire 017-90 Paper (BS0441 & BS0442), NT Fire 017-120 Paper (BS0444), providing up to 120 minutes fire protection for paper documents.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **FEATURES** – All models are supplied with internal key hooks and a pull-out drawer. All models also benefit from height adjustable shelves.
- **COLOUR** – Finished in a high-quality scratch resistant white paint RAL9003.



**OPTIONAL FEATURES**

- **SP Safe monitor**  
For enhanced safety, the cabinet can be fitted with internal temperature and humidity monitor, that links to a mobile phone App and alerts you if the maximum set temperature is breached.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



BS1943E



BS1946K



BS1945

The **BATTERY COMMANDER PRO SERIES** is certified to VDMA 24994:2024-08 standard by ECB.S and constructed to safeguard both lives and property from the potentially catastrophic consequences of Lithium battery fires. Providing a secure storage and charging solution tailored for Lithium-Ion batteries, these units mitigate the myriad of risks posed by such batteries, including thermal runaway due to temperature fluctuations, impact, or manufacturing defects. Such hazards can lead to spontaneous ignition and formidable fire outbreaks, that pose significant challenges for extinguishment.

The Battery Commander Pro Series ensures peace of mind through its sturdy double-wall construction, certified for fire resistance, impact resistance, and security. UK Police approved (Secured By Design scheme).

Customers can select from six size options, each offering either key or electronic locking mechanisms, integrated smoke detectors, reinforced insulated shelving, and built-in power outlets. Furthermore, this range includes a plinth for effortless relocation and removal from the premises in case of a fire emergency.

**FEATURES**

- VDMA 24994:2024-08 Certified
- Large volume Lithium-Ion battery storage & charging
- Storage and charging for up to 22,500Wh of batteries
- Robust Safe construction
- Key or electronic locking
- Internal temperature monitor as standard
- Reinforced and Insulated shelving
- Full electronic monitoring system

MODEL NUMBER	LOCKING OPTIONS	EXTERNAL DIMENSIONS H x W x D	SHELF CAPACITY	MAX. BATTERY CAPACITY	INTERNAL DIMENSIONS H x W x D	DOOR SWING/HANDLE DEPTH	WEIGHT	CAPACITY	PDU <sub>s</sub>	SHELVES	DOORS
BS1941 <sup>†</sup>	K/E/F	855 x 690 x 710mm	2500Wh	2500Wh	450 x 510 x 400mm	650 / 40mm	185kg	91 Litres	1x (4 Gang)	0	1
BS1942 <sup>†</sup>	K/E/F	995 x 690 x 710mm	2500wh	5000Wh	590 x 510 x 400mm,	650 / 40mm	213kg	120 Litres	2x (4 Gang)	1	1
BS1943	K/E/F	1385 x 690 x 710mm	2500Wh	7500Wh	980 x 510 x 400mm,	650 / 40mm	261kg	199 Litres	3x (4 Gang)	2	1
BS1944 <sup>†</sup>	K/E/F	1610 x 690 x 710mm	2500Wh	10000Wh	1205 x 510 x 400mm	650 / 40mm	388kg	245 Litres	3x (4 Gang)	3	1
BS1945	K/E/F	1910 x 690 x 710mm	2500Wh	12500Wh	1505 x 510 x 400mm	650 / 40mm	416kg	307 Litres	5x (4 Gang)	4	1
BS1946	K/E/F	1910 x 1125 x 710mm	4500Wh	22500Wh	1505 x 945 x 400mm	560 / 40mm	610kg	569 Litres	5x (8 Gang)	4	2

\* As tested in base model. † Only available as factory order with MOQ.

This information is provided as a guide only. All weights are for the product only and does not include the packaging.



**SPECIFICATIONS**

- **SUITABLE FOR** – The storage and charging of all Lithium Ion batteries up to 25kgs, such as – power tools, garden tools, e-bikes/scooters, drones, laptop, mobile phone. Maximum storage capacities are listed in the table.
- **FIRE PROTECTION (INSIDE TO OUTSIDE)** – VDMA 24994:2024-08 Certified for a maximum shelf capacity of 2500Wh (BS1941-BS1945) to 4500Wh (BS1946) and total capacity from 2500Wh (BS1941) to 22500Wh (BS1946). See table for detailed capacity per model.
- **FIRE PROTECTION (OUTSIDE TO INSIDE)** – Factory tested to EN 14470-1 – Fire protection for 90 minutes from outside to in. NT Fire 017-120p certified – Fire protection for 120 minutes from outside to in.\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CHARGING** – Safely charge your Lithium batteries using the fitted power points – see table for details, with the option to add further PDUs to the pre-wired control box. Always check with your electrician to be sure not to overload your 13amp mains supply. Further 13 AMP Mains Supply or Three Phase can be added (POA).
- **VENTILATION** – Fitted as standard with air exhaust duct, for added ventilation. Dedicated ducting to the outside is also strongly recommended for the most secure and safe extraction in the event of thermal runaway.
- **SHELVING** – Supplied with reinforced and insulated height adjustable shelves capable of carrying 100kg at a time.

**ELECTRONIC MONITORING AND CONTROL UNIT**

- **INTERNAL TEMPERATURE MONITOR** – For safety, the cabinet comes as standard with an external temperature warning lamp, that gives an early warning of a potential issue with a battery overheating. In the event of excessive heat inside the cabinet, the control unit immediately cuts power to chargers and sounds an alarm.
- **DOOR ALARM** – The doors are fitted with sensors to prevent the doors being left open. A buzzer will sound to warn you.

- **FIRE ALARM CONNECTION** – The control unit can be connected to the building fire alarm to trigger the building system and alert the fire brigade.
- **SIREN & STROBE** – The unit is fitted with a siren and strobe light that is triggered in the event of overheat or thermal runaway. Power to the cabinet will also be cut and no charging will take place until the cabinet is back in normal working range.
- **WARNING LABELS** – Fitted with warning labels in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC.
- **MULTIPOINT LOCKING** – Fitted with an advanced reinforced multipoint locking system that securely seal the doors. Even in the event of the most severe battery explosion, the doors will remain securely closed.
- **CONSTRUCTION** – Double wall safe construction with internal fill of our patented Styronite F insulation, provides a safe of great strength and fire/heat resistance, for maximum protection against internal explosion caused during thermal runaway.
- **CE CERTIFIED** – The BS1940 series complete electronic control system is fully CE certified.
- **PLINTH** – to allow easy movability and removal from the building in the event of a fire situation. The plinth is supplied with a front cover to provide a neat exterior finish.
- **2 YEAR GUARANTEE** – Two year materials and labour warranty.

**LOCKING OPTIONS**


**BS1940K** – Fitted with a high quality key lock with two keys.

**BS1940E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code and scrambled code that can be programmed as standard. The lock can further be upgraded to incorporate multiple user audit trail so that user's usage can be monitored.

**BS1940F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.

**OPTIONAL FEATURES**

- **SP Safe Monitor**  
For enhanced safety, the cabinet can be fitted with internal temperature and humidity monitor, that links to a mobile phone App and alerts you if the maximum set temperature is breached.
- **Fire Suppression**  
Specially formulated condensed aerosol fire extinguishing for rapid and effective fire suppression, specifically designed for Lithium Ion batteries.





**THE SS0721 SECURITY SAFES** are ideal for use at home or in the office for storage of valuables and cash.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables\*.
- **LOCKING** – **SS0721E** – Simple to use with advanced ‘user-friendly’ digital lock. **SS0721K** fitted with a high quality key-lock and supplied with two keys.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **SPECIAL FEATURES** – Electronic locking model fitted with three internal key hooks.
- **FIXING** – Ready prepared for floor or wall fixing, supplied with bolts suitable for brick walls and concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant black paint.

**FEATURES**

- Recommended for £1,000 cash cover or £10,000 valuables.
- Finished in a high quality scratch resistant black paint.
- Electronic locking model fitted with three internal key hooks.
- Supplied with two override keys.

MODEL	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY
SS0721K	●	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721E	●	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres

Door aperture is reduced by 5mm due to frame. All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





DREAM1P



DREAM1M

**THE PHOENIX DREAM SERIES** is a modern and elegant range of security safes designed for use in the home for the storage of cash, valuables and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,500 cash or £15,000 valuables.\*
- **LOCKING** – Fitted with an advanced ‘user friendly’ electronic lock with LED display and illuminated keypad. For added peace of mind these safes are fitted with a key override facility (2 keys supplied) and an external micro USB power supply connector for emergency use.
- **CONSTRUCTION** – Twin 20mm diameter live locking bolts, precision laser cut door and concealed internal hinge for increased security.
- **SPECIAL FEATURES** – Fully lined velvet soft interior and shelf with chrome accent, provides protection for its contents in a stylish modern design.
- **FIXING** – Ready prepared for fixing to the floor or wall, with 4 fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Available in a high quality powder coated pastel Pink or Mint to add a splash of colour to your home or office.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- Recommended for £1,500 cash cover or £15,000 valuables.
- Available in a high quality powder coated pastel pink or mint.
- Stylish lined velvet soft interior and shelf with chrome accent.
- GDPR compliant.

MODEL	COLOUR	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING	WEIGHT	CAPACITY	SHELVES
		H x W x D	H x W x D				
DREAM1P	●	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1
DREAM1M	●	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX VELA SERIES** is designed for use at home or in the office for storage of valuables, cash and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- **LOCKING** – **SS0800K** fitted with a high quality key-lock and comes complete with two keys. **SS0800E** has advanced ‘user friendly’ electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **LIGHTING** – The electronic locking versions all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **FIXING** – Ready prepared for fixing to the floor or wall, bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company’s vital and important records secure and protected.

**FEATURES**

- Recommended for £1,000 cash cover or £10,000 valuables.
- Finished in a high quality scratch resistant metallic graphite paint.
- Electronic locking models fitted with a bright LED interior light.
- (SS0803) Internal width is ideal for the storage of laptops up to 17”.

MODEL	COLOUR	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING	WEIGHT	CAPACITY	SHELVES
		H x W x D	H x W x D				
SS0801K/E	●	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802K/E	●	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0803K/E	●	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0804K/E	●	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1
SS0805K/E	●	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





SS0301E



SS0311E

**THE PHOENIX DIONE SERIES** are ideal for hotel, residential or business use, for the storage of tablets, laptops, cash and valuables.

- **SECURITY PROTECTION** – Recommended for £1,000 cash or £10,000 valuables storage\*.
- **LOCKING** – **SS0301E** is fitted with an advanced ‘user friendly’ electronic lock with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility and Master code facility.  
**SS0311E** is fitted with a high security motorised electronic lock, programmable with user and master codes. An LED display shows lock status. The lock can also be specified with an optional audit trail reader that can display or print the last 200 openings (SS0311E) of the safe. This provides extra security in hotel and office use. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards. The internal width of these (excluding SS0301E) makes it ideal for the storage of widescreen laptops.
- **KEYED ALIKE** – Back up override keys are keyed alike and will unlock multiple safes with the same lock.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **OPTIONAL** – Internal USB & plug charging facility. Call for further details.\*\*
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company’s vital and important records secure and protected.

**FEATURES**

- Recommended for £1,000 cash cover or £10,000 valuables.
- Optional internal USB and plug charging facility.\*\*
- Fitted with a LED interior light.
- (SS0311E) internal width makes it ideal for the storage of 17” laptops.



MODEL	COLOUR	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DOOR SWING	WEIGHT	CAPACITY	SHELVES
		H x W x D	H x W x D				
SS0301E	●	50 x 350 x 250mm	245 x 345 x 190mm	310mm	6kg	16 Litres	1
SS0311E	●	200 x 520 x 405mm	195 x 515 x 345mm	473mm	13kg	35 Litres	0

All weights are for the product only and does not include the packaging. \* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter. \*\*Only available on factory orders.






**THE PHOENIX FORTRESS SS1180 SERIES** is designed and tested to the latest and prestigious European test standards for Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450) giving cash cover of £4,000 or valuables cover of £40,000\*. SS1181/2/3 – Sold Secure Certified. SS1184/5 – ECB.S Certified.
  - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
  - **LOCKING** – **SS1180K** – Fitted with a high security double bitted VdS class I key lock. **SS1180E** – Fitted with a high security VdS class II electronic lock with time delay, dual code function & multiple user codes.
  - **CONSTRUCTION** – Double wall construction with anti-drill plate protection, three way live locking bolts and re-locker protection for the door, provide a safe of great strength.
  - **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
  - **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
  - **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- ☑ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- Approved by UK Police and AiS
- Suitable for controlled drug storage
- Double wall construction with anti-drill plates and three way live locking bolts
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
SS1181K	220 x 350 x 300mm	140 x 270 x 190mm	283mm	15kg	7 Litres	1	0	0	0
SS1182K/E	350 x 450 x 350mm	270 x 365 x 240mm	382mm	25kg	24 Litres	1	0	0	0
SS1183K/E	550 x 450 x 350mm	470 x 365 x 240mm	382mm	35kg	42 Litres	2	4	4	4
SS1184K/E	805 x 445 x 400mm	715 x 360 x 290mm	382mm	54kg	74 Litres	2	8	8	4

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE PHOENIX FORTRESS SS1450 SERIES** is designed and tested to the latest and prestigious European test standard for Security Protection, making it ideal for home or office.

- **SECURITY PROTECTION** – Tested to the prestigious European security standard EN14450-S2 (ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000.\*
  - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AIS).
  - **LOCKING** – **SS1450K** – Fitted with a high security double bitted VdS Certified key lock  
**SS1450E** – Fitted with a high security VdS Certified electronic lock with a top light to illuminate the keypad & impact-resistant Polycarbonate housing. 1 Master Code and 1 User Code allows for easy programming.
  - **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe with great strength.
  - **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
  - **COLOUR** – Finished in a high-quality scratch resistant white paint RAL9003.
  - **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- ✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- £4,000 Cash / £40,000 Valuable Cover\*
- EN14450-S2 (ECB.S Certified)
- Double wall construction with anti-drill plates
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
SS1451K/E	250 x 370 x 310mm	180 x 300 x 190mm	305mm	21kg	10 Litres	0	0	0	0
SS1452K/E	300 x 410 x 405mm	220 x 330 x 295mm	345mm	28kg	22 Litres	1	0	0	0
SS1453K/E	550 x 410 x 405mm	470 x 330 x 295mm	345mm	42kg	46 Litres	1	4	4	4
SS1455K/E	950 x 450 x 405mm	870 x 370 x 295mm	385mm	67kg	95 Litres	2	8	8	8



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1461E



SS1465



SS1463K


**THE PHOENIX FORTRESS PRO SS1460 SERIES** is designed and tested to the latest and prestigious European test standards for both Fire & Security Protection, making it ideal for home or office and keeping GDPR compliant.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 security standard EN14450-S2 (ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AIS).
- **FIRE PROTECTION** – Tested to the International NT Fire 017-60 fire test standard, providing 60 minutes fire protection for paper documents.
- **LOCKING** – **SS1460K** – Fitted with a high security double bitted VdS Certified key lock. **SS1460E** – Fitted with a high security VdS Certified electronic lock with 1 Master Code and 1 User Code that allows for easy programming.
- **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection. Anti-drill plate protection, three way live locking bolts and fixed dog bolts, provide a door of massive strength and resistance to pry or forced attack.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high-quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

☒ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- £4,000 cash / £40,000 valuables cover\*
- EN14450-S2 (ECB.S certified)
- 60 minutes fire protection
- Double wall construction with anti-drill plates
- Three way live locking bolts
- GDPR compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
SS1461K/E	350 x 440 x 420mm	240 x 330 x 330mm	375mm	54kg	23 Litres	1	0	0	0
SS1463K/E	650 x 440 x 420mm	540 x 330 x 330mm	375mm	87kg	53 Litres	2	4	4	4
SS1465K/E	1000 x 440 x 420mm	890 x 330 x 330mm	375mm	126kg	87 Litres	3	8	8	8




This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



**THE PHOENIX VENUS HS0670 SERIES** is designed to provide extreme security protection, making it ideal for home or office.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard, Grade 0. Recommended Insurance rating of £6,000 cash or £60,000 valuables.
- **LOCKING** – **HS0670K** – Fitted with high security double bitted VdS class I key lock. **HS0670E** – Fitted with a high security VdS class II electronic lock with time delay, dual code function and multiple user codes.
- **FIXING** – Ready prepared for floor or wall fixing with fixing bolts for concrete floors or brick walls supplied (except HS0674 – floor only)\*\*.
- **CONSTRUCTION** – 3 way live locking with 24mm polished bolts, multi layered 24mm thick wall construction, 10mm thick solid steel laser cut door with internal hinges, provide a safe of great strength.
- **SPECIAL FEATURE** – HS0674 fitted with an internal lockable coffer for added security (2 keys supplied).
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

 Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- Tested to European EN1143-1 Security standard
- Suitable for controlled drug storage
- HS0674 fitted with an internal lockable coffer
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS0671K/E	250 x 360 x 310mm	195 x 310 x 230mm	260mm	44kg	14 Litres	1	0	0	0
HS0672K/E	300 x 440 x 380mm	245 x 390 x 300mm	330mm	65kg	29 Litres	1	3	3	3
HS0673K/E	460 x 440 x 380mm	405 x 390 x 300mm	330mm	90kg	48 Litres	1	5	4	5
HS0674K/E Internal Coffe	670 x 440 x 380mm	485 x 390 x 300mm	345mm	122kg	56 Litres 15 Litres	1	5	4	5



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.


\*\* Ready prepared for Base fixing with fixing bolt. Rear fixing is partially prepared in the inner wall. If wall fixing is required the fixing hole will need to be extended to the outer wall using a suitable HSS drill.

All weights are for the product only and does not include the packaging.



**THE PHOENIX NEPTUNE HS1050 SERIES** is designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade I, has a recommended Insurance rating of £10,000 cash or £100,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P standard (EN15659) giving 30 minutes fire protection for paper records. HS1055 – Recommended for 30 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class I key lock.
- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls.
- **CONSTRUCTION** – 3 way 24mm diameter locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

 Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- Security rating up to £10,000 cash and £100,000 valuables\*
- Approved by UK Police and AiS
- Suitable for controlled drug storage
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS1051K/E	340 x 500 x 345mm	260 x 425 x 215mm	475/40mm	97kg	24 Litres	1	0	0	0
HS1052K/E	440 x 500 x 430mm	360 x 425 x 300mm	475/40mm	140kg	46 Litres	1	5	5	0
HS1053K/E	900 x 440 x 430mm	820 x 365 x 300mm	415/40mm	230kg	90 Litres	2	8	8	8
HS1054K/E	840 x 650 x 550mm	765 x 575 x 420mm	625/40mm	320kg	184 Litres	2	14	14	14
HS1055K/E	1240 x 650 x 555mm	1165 x 575 x 425mm	625/40mm	452kg	283 Litres	2	21	21	21



This information is provided as a guide only Actual capacities may vary depending on the storage method or shelving used.

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



**THE PHOENIX MERCURY HS2050** is designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. MERCURY – (Grade II) has a recommended Insurance rating of £17,500 cash or £175,000 valuables\*.
  - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
  - **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records.
  - **KEY LOCKING** – Fitted with high security double bitted VdS class II key lock.
  - **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code and time delay.
  - **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
  - **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
  - **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
  - **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- ✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- Security rating up to £17,000 cash and £175,000 valuables\*
- Pre-prepared for alarm or power cable
- Approved by UK Police and AiS
- Suitable for controlled drug storage
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS2051 K/E	550 x 520 x 500mm	440 x 405 x 300mm	485mm/40mm	230/245kg	56 Litres	1	5	5	5
HS2052 K/E	650 x 520 x 500mm	540 x 405 x 300mm	485mm/40mm	260/280kg	69 Litres	1	5	5	5
HS2053 K/E	970 x 520 x 500mm	860 x 405 x 300mm	485mm/40mm	357/383kg	110 Litres	2	10	10	10
HS2054 K/E	1280 x 650 x 500mm	1170 x 535 x 300mm	615mm/40mm	527/567kg	197 Litres	3	21	18	21
HS2055 K/E	1630 x 860 x 500mm	1500 x 725 x 300mm	815mm/40mm	855/920kg	330 Litres	4	36	36	36



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.  
All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location.  
Please check with your underwriter.



**THE PHOENIX ELARA HS3550 SERIES** is designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. ELARA – (Grade III) has a recommended Insurance rating of £35,000 cash or £350,000 valuables\*.
  - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
  - **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records.
  - **KEY LOCKING** – Fitted with high security double bitted VdS class II key lock.
  - **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code and time delay.
  - **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
  - **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
  - **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
  - **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- ✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- Security rating up to £35,000 cash and £350,000 valuables\*
- Pre-prepared for alarm or power cable
- Approved by UK Police and AiS
- Suitable for controlled drug storage
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS3551 K/E	550 x 520 x 500mm	440 x 405 x 300mm	485mm/40mm	230/245kg	56 Litres	1	5	5	5
HS3552 K/E	650 x 520 x 500mm	540 x 405 x 300mm	485mm/40mm	260/280kg	69 Litres	1	5	5	5
HS3553 K/E	970 x 520 x 500mm	860 x 405 x 300mm	485mm/40mm	357/383kg	110 Litres	2	10	10	10
HS3554 K/E	1280 x 650 x 500mm	1170 x 535 x 300mm	615mm/40mm	527/567kg	197 Litres	3	21	18	21
HS3555 K/E	1630 x 860 x 500mm	1500 x 725 x 300mm	815mm/40mm	855/920kg	330 Litres	4	36	36	36



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.  
All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location.  
Please check with your underwriter.



HS6071E

HS6073K

HS6075K

HS6074E

HS6072K


**THE PHOENIX PLANET HS6070** is designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV has a recommended Insurance rating of £60,000 cash or £600,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- **KEY LOCKING** – Fitted with 2 high security double bitted VdS Class II key locks.
- **ELECTRONIC LOCKING** – Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and a high security double bitted VdS Class II key lock.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

### FEATURES

- Security rating up to £60,000 cash and £600,000 valuables\*
- Pre-prepared for alarm or power cable
- Approved by UK Police and AiS
- Suitable for controlled drug storage
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS6071K/E	580 x 580 x 545mm	470 x 465 x 360mm	545mm/50mm	328kg	80 Litres	1	6	5	6
HS6072K/E	680 x 580 x 545mm	570 x 465 x 360mm	545mm/50mm	372kg	100 Litres	1	6	5	6
HS6073K/E	850 x 580 x 545mm	740 x 465 x 360mm	545mm/50mm	445kg	129 Litres	1	12	10	6
HS6074K/E	1210 x 580 x 545mm	1100 x 465 x 360mm	545mm/50mm	595kg	190 Litres	2	18	15	12
HS6075K/E	1310 x 670 x 545mm	1175 x 530 x 330mm	625mm/50mm	695kg	205 Litres	3	21	18	21



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.  
All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location.  
Please check with your underwriter.



HS9071E

HS9073K

HS9075K

HS9074E

HS9072K

**THE PHOENIX COSMOS HS9070 SERIES** Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade V has a recommended Insurance rating of £100,000 cash or £1,000,000 valuables\*.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV has a recommended Insurance rating of £60,000 cash or £600,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- **KEY LOCKING** – Fitted with 2 high security double bitted VdS Class II key locks.
- **ELECTRONIC LOCKING** – Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and a high security double bitted VdS Class II key lock.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- Security rating up to £100,000 cash and £1,000,000 valuables\*
- Pre-prepared for alarm or power cable
- Approved by UK Police and AiS
- Suitable for controlled drug storage
- GDPR Compliant



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
HS9071K/E	690 x 690 x 690mm	530 x 525 x 425mm	635mm/50mm	645kg	121 Litres	1	7	6	7
HS9072K/E	850 x 690 x 690mm	690 x 525 x 425mm	635mm/50mm	757kg	154 Litres	1	14	6	7
HS9073K/E	1020 x 690 x 690mm	860 x 525 x 425mm	635mm/50mm	875kg	218 Litres	2	14	12	14
HS9074K/E	1330 x 690 x 690mm	1170 x 525 x 425mm	635mm/50mm	1094kg	295 Litres	3	21	18	21
HS9075K/E	1520 x 690 x 690mm	1360 x 525 x 425mm	635mm/50mm	1250kg	342 Litres	3	28	18	21



This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging. \* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS0801ED



SS0804KD



SS0802KD

**VELA DEPOSIT HOME & OFFICE SAFES** is designed for use at home or in the office for storage of valuables, cash and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- **LOCKING** – **SS0800K** fitted with a high quality key-lock and comes complete with two keys. **SS0800E** has advanced 'user friendly' electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **LIGHTING** – The electronic locking versions all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Fitted with a deposit slot with anti-fish baffle plate to ensure that the contents cannot be 'fished out'. Dimension 150 x 12mm.
- **FIXING** – Ready prepared for fixing to the floor or wall, bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- Recommended for £1,000 cash cover or £10,000 valuables.
- Finished in a high quality scratch resistant metallic graphite paint.
- Electronic locking models fitted with a bright LED interior light.
- Fitted with anti-fish deposit slot.



MODEL	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801KD/ED	●	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802KD/ED	●	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0804KD/ED	●	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





**THE SS0991KD** is ideal for retail environments where there is a need to safely store notes from the till drawer, without staff having access. The unit is also portable so that it can be unlocked from the counter and taken to the cash office for secure sorting.

- **LOCKING** – Fitted with two key locks each and supplied with two keys. One lock secures the unit to the base tray, the second lock releases the stored notes.
- **DEPOSIT FACILITY** – Note deposit facility (Not suitable for coins).
- **SPECIAL FEATURES** – Under counter mounting plate with key release. Allows unit to be removed from the counter and emptied in a secure cash room.
- **CONSTRUCTION** – Constructed of solid steel plate.
- **FIXING** – Supplied with a fixing plate and fixings to secure under a counter.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.

**FEATURES**

- Note deposit facility.
- Fitted with two key locks.
- Under counter mounting plate with key release.
- Constructed of solid steel plate.

MODEL	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT DIMENSIONS H x W x D	WEIGHT	CAPACITY
SS0991KD	225 x 100 x 195mm	175 x 95 x 120mm	10 x 100 x 160mm	2kg	2 Litres

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





SS0992KD



SS0992ED

THE SS0992KD/ED is a front loading day deposit safe for cash management. Ideal for under counter locations, allowing the safe deposit of cash from a till drawer.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.
- **LOCKING** – **SS0992KD** – Fitted with a high security double bitted lock supplied with two keys. **SS0992ED** – Fitted with a high security VdS class II electronic lock.
- **DEPOSIT FACILITY** – Fitted with a lockable deposit (2 keys supplied) with Phoenix tilting baffle plate to ensure that the contents cannot be ‘fished out’.
- **CONSTRUCTION** – Constructed of 6mm steel plate door and 2mm body.
- **FIXING** – Ready prepared for floor and wall fixing with bolts supplied.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company’s vital and important records secure and protected.

**FEATURES**

- £1,000 cash or £10,000 valuables overnight security cover.
- Lockable ‘anti-fish’ deposit facility.
- Constructed of solid steel plate.
- GDPR compliant.

MODEL	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	DEPOSIT SLOT DIMENSIONS	WEIGHT	CAPACITY
	H x W x D	H x W x D	H x W x D		
SS0992KD/ED	600 x 250 x 250mm	380 x 240 x 210mm	95 x 185 x 200mm	17kg	19 Litres

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





THE **SS0990 SERIES** is a front loading cashier deposit safe for 24 hour cash management.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables\*.
- **LOCKING** – **SS0990KD** – Fitted with a high security VdS Class I key lock supplied with two keys. **SS0990ED** – Fitted with a high security VdS class II electronic lock. **SS0990FD** – Fitted with an advanced high security touchscreen keypad and fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **DEPOSIT FACILITY** – Fitted with a special Phoenix baffle plate to ensure the contents cannot be fished out. Also features a night lockout plate for increased security during out of hours.
- **CONSTRUCTION** – Constructed of 12mm steel plate door and 6mm body with anti-drill plates.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

**FEATURES**

- £3,000 cash or £30,000 valuables overnight security cover.\*
- Lockable 'anti-fish' baffle plate.
- SS0998 fitted with separate lockable coffer for added security.
- GDPR compliant.



MODEL	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY
SS0996KD/ED/FD	480 x 340 x 380mm	448 x 328 x 323mm	275mm/50mm	54kg	47 Litres
DEPOSIT SLOT SS0996	-	80 x 265 x 200mm	-	-	-
SS0998KD/ED/FD	760 x 510 x 510mm	315 x 495 x 415mm	440mm/50mm	130kg	64 Litres
INTERNAL COFFER	-	145 x 495 x 395mm	-	-	28 Litres
DEPOSIT SLOT SS0998	-	100 x 415 x 220mm	-	-	-

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





HS1090KD



HS1091ED

**THE PHOENIX DIAMOND DEPOSIT SERIES** are designed for the safe deposit of large quantities of cash, without the normal reduction in security protection that can be associated with deposit safes. Ideal for retail stores, garage forecourts, banks and financial institutes.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-2:2014 Security standard, Grade D1 (ECB.S Certified) giving cash cover of £10,000 or valuables cover of £100,000.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SAFE DOOR LOCKING** – **HS1090KD** - Fitted with a high security double bitted VdS class I key lock. **HS1090ED** – Fitted with a high security VdS class II electronic lock.
- **DRAWER DEPOSIT** – High security pull out drawer deposit with special baffle drop system, for maximum security. Maximum deposit size H65mm x W205mm x D65mm. (Except HS1090).
- **CONSTRUCTION** – Double wall composite construction, anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



**FEATURES**

- £10,000 cash or £100,000 valuables security cover.\*
- High security pull out drawer deposit.
- UK Police and AiS approved.
- GDPR compliant.

MODEL	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY
HS1090KD/ED DEPOSIT DRAWER	670 x 440 x 550mm -	455 x 365 x 425mm 104 x 289 x 121mm	272mm/45mm -	195kg -	44 Litres -
HS1091KD/ED DEPOSIT DRAWER	670 x 650 x 550mm -	455 x 575 x 425mm 104 x 517 x 124mm	615mm/45mm -	264kg -	112 Litre -

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





9" CUBE



12" CUBE



12" CUBE WITH DEPOSIT

**THE PHOENIX TARVOS (SQUARE DOOR) UF0600 SERIES**

underfloor security safes have been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- **SECURITY PROTECTION** – The UF0600 Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £4,000 cash up to £100,000 for valuables.
- **LOCKING** – UF0640, UF0660 & UF0610 – Supplied with a high security double-bitted VdS Class I key-lock. Each unit is supplied with 2 keys.
- **DOOR CONSTRUCTION – UF0640** – hardened 6mm thick plate and 25mm diameter spring loaded front bolt and 25mm diameter dead bolt.  
**UF0660** – hardened 6mm thick plate and two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt.  
**UF0610** – hardened 6mm thick plate and copper laminate between two 10mm mild steel plates to give ABP protection, two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt.

**FEATURES**

- Thick mild steel body construction
- Anti-fish deposit facility
- Fully flocked interior to protect valuables
- Finished in gold hammer paint
- **BODY CONSTRUCTION** – The neck is constructed of 5mm mild steel tube 4" high. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES – UD0600KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Tarvos has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive gold hammer paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0641K	£4k	16kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0643KD	£4k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0661K	£6k	16.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0663KD	£6k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0611K	£10k	19.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0613KD	£10k	27kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm

(1.) Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.  
 (2.) Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.  
 All weights are for the product only and does not include the packaging.  
 \* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





12" CUBE



12" CUBE WITH DEPOSIT

**THE PHOENIX CHARON (ROUND DOOR) UF0900 SERIES** underfloor security safes have been designed to meet the requirements for a secure yet hidden safe, and comes with four different cash cover options.


- **SECURITY PROTECTION** – The UF0900 Series is a 12 inch cube safe, providing cover from £10,000 cash up to £175,000 for valuables.
- **LOCKING** – Supplied with a high security double-bitted VdS Class I key-lock and supplied with two keys.
- **DOOR CONSTRUCTION – UF0910** – 37mm thick high quality mild steel with copper laminate between two pieces of 10mm mild steel providing ABP protection.  
**UF0970** – 45mm thick high quality stainless steel with copper laminate between two pieces of 15mm stainless steel providing ABP protection. All units have hardened dowels and balls protecting moving parts with a hardened 6mm back plate.
- **BODY CONSTRUCTION** – The neck is constructed of 6mm mild steel tube 4" high on the **UF0910** and 6" high on the **UF0970** safes. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES – UD0900KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Charon has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive red paint.

**FEATURES**

- Thick mild steel body construction
- Anti-fish deposit facility
- Fully flocked interior to protect valuables from damage
- Finished in attractive red paint



MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0913KD	£10k	24.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0972K	£17½k	25.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0973KD	£17½k	26.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA



(1.) Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

(2.) Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.

All weights are for the product only and does not include the packaging.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



GS8000K



GS8001K



GS8002K

**THE PHOENIX LACERTA GS8000 SERIES** is a range of high quality gun safes designed for the secure storage of 1, 3 or 6 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved.
- **CAPACITY** – Number of Guns: **GS8000K** = 1; **GS8001K** = 3; **GS8002K** = 6.
- **LOCKING** – Two high security 7 lever locks supplied with two double bitted keys.
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable metallic graphite paint.

**FEATURES**

- 100% Police Approved.
- Two high security 7 lever locks with double bitted keys.
- Three sizes for 1, 3 or 6 guns.
- Galvanised steel body and door.

MODEL	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	NUMBER OF GUNS	WEIGHT
	H x W x D	H x W x D		
GS8000K	1300 x 200 x 150mm	1290 x 195 x 120mm	1	22kg
GS8001K	1300 x 220 x 200mm	1290 x 215 x 165mm	3	23kg
GS8002K	1300 x 350 x 300mm	1290 x 345 x 265mm	6	35kg

All weights are for the product only and does not include the packaging.





GS8015K

GS8016K

GS8017K

**THE PHOENIX TUCANA GS8015 SERIES** is a range of high quality gun safes designed for the secure storage of 3, 5 or 7 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved. European EN14450 S1 certified giving cash cover of £2,000 or valuables cover of £20,000.\*
- **CAPACITY** – Number of Guns: **GS8015K** = 3; **GS8016K** = 5; **GS8017K** = 7
- **LOCKING** – High security 7 lever lock supplied with 2 double bitted Class I keys, 3 way locking bolts.
- **AMMUNITION BOX** – Internal ammunition box (2 keys supplied).
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable metallic graphite paint.

**FEATURES**

- 100% Police Approved.
- Internal ammunition box.
- Three sizes for 1, 3 or 6 guns.
- Galvanised steel body and door.

MODEL	EXTERNAL DIMENSIONS H x W x D	INTERNAL AMMO BOX H x W x D	NUMBER OF GUNS	WEIGHT	AMMUNITION BOX DIMENSIONS H x W x D
GS8015K	1450 x 210 x 280mm	1440 x 205 x 230mm	3	47kg	145 x 200 x 185mm
GS8016K	1450 x 255 x 345mm	1440 x 250 x 295mm	5	57kg	145 x 250 x 250mm
GS8017K	1450 x 375 x 345mm	1440 x 370 x 295mm	7	69kg	145 x 370 x 250mm



Ammo box reduces internal height by 175mm.  
All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location  
Please check with your underwriter.



**THE PHOENIX RIGEL GS8020 SERIES** is a range of high quality gun safes designed for the secure storage of 5, 8 or 14 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved. Tested to the prestigious European EN1143-1 Security standard. Grade I, has a recommended insurance rating of £10,000 cash or £100,000 valuables\*.
- **FIRE PROTECTION** – Tested to the European LFS 30P standard (EN15659) giving 30 minutes fire protection for paper records.
- **CAPACITY** – Number of Guns – **GS8021K/E** = 5; **GS8023K/E** = 8; **GS8025K/E** = 14
- **AMMUNITION BOX** – Internal ammunition box with cylinder lock (2 keys supplied). Removeable if required.
- **LOCKING** – High security 8 lever lock supplied with 2 double bitted Class 1 keys or VdS class II electronic lock with dual control, master code and time delay.
- **CONSTRUCTION** – Galvanised steel body and door with 3 way locking bolts, high density foam divider and round external handle.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable metallic graphite paint.

☑ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

**FEATURES**

- 100% Police Approved.
- Internal ammunition box.
- Three sizes for 5, 8 or 14 guns.
- Galvanised steel body and door.

MODEL	EXTERNAL DIMENSIONS H x W x D	INTERNALAMMO BOX H x W x D	NUMBER OF GUNS	WEIGHT	AMMUNITION BOX DIMENSIONS H x W x D
GS8021K/E	1515 x 400 x 385mm	1400 x 285 x 230mm	5	160kg	120 x 280 x 195mm
GS8023K/E	1650 x 570 x 450mm	1530 x 455 x 300mm	8	235kg	200 x 450 x 260mm
GS8025K/E	1650 x 870 x 450mm	1530 x 760 x 300mm	14	325kg	200 x 755 x 260mm



\*Ammo box reduces the internal height of the safe by 150mm for the GS8021 and by 230mm for the GS8023 & GS8025. All weights are for the product only and does not include the packaging.  
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



CB102K



CB103K



CB101K

**THE CB0100 SERIES CASH BOXES** are a sturdy range of conveniently sized cash boxes for domestic or office use.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **SIZES** – Three different sizes available to suit every need.
- **SPECIAL FEATURES** – Supplied with plastic divider tray for coins and notes and convenient external carrying handle.
- **COLOUR** – Finished in a high quality scratch resistant powder coat red paint.

**FEATURES**

- High quality key lock.
- Supplied with two key locks.
- Divider tray for coins and notes.
- Convenient carrying handle.

MODEL	COLOUR	EXTERNAL DIMENSIONS
CB0101K	●	90 x 200 x 160mm
CB0102K	●	90 x 250 x 180mm
CB0103K	●	90 x 300 x 240mm






KC0026K



KC0027K



KC0028K


**THE KC0020 SERIES KEY BOXES** are a high quality range of key boxes with capacities ranging from 20-93 keys. Ideal for the home or office.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **SIZES** – Three different sizes available to suit every need.
- **FIXING** – Ready prepared for fixing to the wall with fixings supplied.
- **COLOUR** – Finished in a high quality scratch resistant powder coat grey paint.

**FEATURES**

- High quality key lock.
- Supplied with two key locks.
- Capacity for up to 93 keys.
- Ready prepared for wall fixing.

MODEL	COLOUR	EXTERNAL DIMENSIONS	KEY HOOKS
KC0026K	●	200 x 160 x 80mm	20 keys
KC0027K	●	250 x 180 x 80mm	48 keys
KC0028K	●	300 x 240 x 80mm	93 keys





KS0001C



KS0003C



**THE PHOENIX KS SERIES** gives you control of door keys, padlock keys, car keys etc. in an attractive secure location that can be easily mounted to a wall. Ideal for house rental/Airbnb, social care and homes, offices, schools, factories, construction sites and much more.

- **LOCKING** – Simple to change four digit dial combination lock (KS0001C) and easy to use changeable push button lock (KS0003C).
- **FIXING** – Ready prepared for wall fixing (bolts supplied).
- **CONSTRUCTION** – High strength cast alloy.
- **FEATURES** – Internal magnetic hook (KS0001C) and full weatherproof rubber cover (KS0003C).


**FEATURES**

- Four digit combination or push button lock options.
- Ready prepared for wall fixing.
- KS0001C - Internal magnetic hook.
- KS0003C - Weatherproof rubber cover.

MODEL NUMBER	COLOUR	LOCKING	EXTERNAL DIMENSIONS H x W x D	WEIGHT
KS0001C	●	Combination	100 x 65 x 35mm	0.4kg
KS0003C	●	Push button	140 x 95 x 70mm	0.85kg

All weights are for the product only and does not include the packaging.






**THE PHOENIX PALM** is a high quality smart key safe, ideal for House Rentals/Airbnb, Social Care, Homes, Parcel Deliveries, Offices, Schools, Factories, Construction Sites and much more with its Mobile App Control. An easier way to manage your keys, and enjoy your life with peace of mind.

- LOCK & UNLOCK FEATURES – Keypad:** Clear illuminating keypad, making use at night extremely easy and convenient.  
**Administrator Unlock:** Set a master administrator code for unlocking, settings and operations. Only the administrator can change the administrator pass code.  
**User Unlock:** Up to 100 user pin codes for your family, friends and visitors.  
**Auto Locking:** Simply close the keybox when finished and it automatically locks.
- MOBILE APP CONTROL – Bluetooth:** Quick and easy One touch unlock using the smart app.  
**Remote code generation:** Generate one time code (OTC) or time window code for schedule access all remotely via the mobile app. No Wi-Fi connection required. Once you have generated the code you can share it by text or email. Ideal for rentals, cleaners, maintenance etc.  
**Mobile administrator:** Using Bluetooth and the smart App you can program your lock with users, time windows and also view the audit trail for full control and peace of mind.  
**OTA:** Easily keep your lock on the latest software, simply connect via Bluetooth and use the software update feature.

- POWER – Batteries:** Powered by 4 x AAA batteries with minimum 12 month usage when using high quality Alkaline.  
**Low Battery:** The lock has a low battery warning, if you continue to use and the batteries are completely depleted, the emergency jack port (USB C) can be used to power the lock.  
**Low Consumption:** The lock uses BLE Broadcasting that turns to sleep mode when not in use.
- FIXING – Permanent:** Supplied ready prepared to be securely fixed to a suitable wall with fixings for Brick and concrete included.  
**Quick Release:** Supplied with a unique 'quick-release' wall mount bracket that allows you to remove the Palm to take with you for use as a portable lock box or cabled padlock using optional high strength cable tether.
- WATER RESISTANCE – IP65** resistance rating, providing airtight protection against the weather.
- CONSTRUCTION –** Strong 2.5mm thick body and durable Zinc Alloy construction. Able to operate in temperatures between -45°C to 60°C.  
**KS0212EC –** Supplied with a 900mm long stainless steel security cable (with outer coating to prevent scratching) to secure around a fixed object.
- FINISH –** Finished in a high quality anti-corrosion black powder coat.

MODEL NUMBER	EXTERNAL DIMENSIONS Diameter x Depth	INTERNAL DIMENSIONS H x W x D	WEIGHT
KS0211E	100 x 50mm	60 x 90 x 15mm	0.5kg
KS0212EC	100 x 50mm	60 x 90 x 15mm	0.6kg

All weights are for the product only and does not include the packaging.





KS0020

**THE PHOENIX FINGERPRINT KEY SAFE** is ideal for home, office, schools, garages and office blocks.

- **Locking** – Advanced ‘user friendly’ electronic lock and biometric fingerprint scanner that can store up to 20 fingerprints with an anti-tamper or bounce solenoid system. For added peace of mind this safe is fitted with a key override facility for emergency use (2 keys supplied) and an external USB-C power supply connector, allowing the lock to be powered up, if the batteries need replacing.
- **Security** – When bolted to a wall these key safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- **Fixing** – Ready prepared for fixing to the wall with 4 anchor bolts supplied.
- **Special Features** – Adjustable key hooks, spring loaded door and a key deposit slot, allowing keys to be deposited without the need to open the safe.
- **Lighting** – Fitted with a bright internal LED interior light so the contents can easily be seen.
- **Key Tags** – Supplied complete with a selection of coloured key rings.
- **Colour** – Finished in a high quality scratch resistant Black paint.

**FEATURES**

- Advanced electronic lock and biometric fingerprint scanner.
- Adjustable key hooks, spring loaded door and key deposit slot.
- Bright internal LED light.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT H x W x D	WEIGHT	KEY HOOKS
KS0021F	390 x 295 x 125mm	380 x 230 x 105mm	65 x 35 x 20mm	8kg	60

All weights are for the product only and does not include the packaging.





**THE PHOENIX CYGNUS SERIES** of key deposit safes are available in capacities of 30-700 keys and all come with a key deposit facility. Ideal for home, office, schools, garages and office blocks.


- **LOCKING** – Advanced ‘user friendly’ electronic locking with anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility should the code be misplaced (2 keys supplied).
- **SECURITY** – When bolted to a wall these key safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- **FIXING** – Ready prepared for fixing to the wall with bolts supplied.
- **SPECIAL FEATURES** – Key deposit slot, allowing keys to be deposited without the need to open the safe.
- **KEY TAGS** – Supplied complete with a selection of coloured key rings.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.

**FEATURES**

- Electronic locking with anti-tamper or bounce solenoid system
- Key override facility
- Ready prepared for wall fixing
- Key deposit slot

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT	WEIGHT	KEY HOOKS
KS0031E	280 x 300 x 100mm	275 x 295 x 80mm	55 x 45 x 25mm	6.5kg	30
KS0032E	360 x 300 x 100mm	350 x 275 x 80mm	55 x 45 x 25mm	7.5kg	48
KS0033E	660 x 430 x 130mm	655 x 425 x 110mm	55 x 45 x 25mm	20kg	144
KS0034E	755 x 580 x 250mm	745 x 570 x 230mm	55 x 45 x 25mm	43kg	300
KS0035E	760 x 580 x 280mm	750 x 570 x 260mm	55 x 45 x 25mm	46kg	500
KS0036E	760 x 580 x 330mm	750 x 570 x 310mm	55 x 45 x 25mm	49kg	700

All weights are for the product only and does not include the packaging.





KS0041K



KS0042E



KS0043K

**THE PHOENIX FORTRESS KS0040 SERIES KEY SAFES** are designed and tested to the latest and prestigious European test standards for Security Protection.


- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **LOCKING** – **KS0040K** – Fitted with a high security double bitted VdS class I key lock. **KS0040E** – Fitted with a high security VdS class II electronic lock with time delay, dual code function and multiple user codes.
- **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **COLOUR** – Finished in a high-quality scratch resistant White paint RAL9003.
- **MEDICAL STORAGE** – Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

**FEATURES**

- Key and electronic lock options
- Anti-drill plates and re-locker door protection
- UK Police and AiS approved
- Suitable for medical controlled drug storage

MODEL NUMBER	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	WEIGHT	KEY HOOKS
	H x W x D	H x W x D		
KS0041K/E	300 x 450 x 245	220 x 365 x 128mm	22kg	42
KS0042K/E	600 x 450 x 245	520 x 365 x 128mm	37kg	132
KS0043K/E	1000 x 450 x 245	920 x 365 x 128mm	58kg	240

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.





KC0607K



KC0604E



KC0603K

**THE PHOENIX KC0600 SERIES COMMERCIAL KEY CABINETS** are a series of high quality Key Cabinets ranging from 42 hook up to 600 hook units

- **LOCKING – KC0600K** – Manufactured with a high quality cylinder lock supplied with 2 keys. **KC0600E** – Fitted with a high quality electronic code lock, programmable with users own 4 digit code which can easily be changed when required. **KC0600N** – Fitted with the NetCode 1000 lock allowing temporary access to the cabinets via the web-based NetCode Portal. NetCode is activated prior to the lock owner shipping and installing at a remote site. The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes. Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.
- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars and number labels to suit. The 400 and 600-hook units are double door cabinets.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

**FEATURES**

- Key and electronic lock options
- Pre-drilled fixing holes for wall mounting
- Adjustable hook bars with number labels


MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	KEY HOOKS
KC0601K/E/N	350 x 270 x 80mm	4kg	42
KC0602K/E/N	450 x 300 x 80mm	6kg	64
KC0603K/E/N	550 x 380 x 80mm	7kg	100
KC0604K/E/N	550 x 380 x 140mm	11kg	200
KC0605K/E/N	550 x 380 x 205mm	14kg	300
KC0606K/E/N	550 x 730 x 140mm	20kg	400
KC0607K/E/N	550 x 730 x 205mm	28kg	600

All weights are for the product only and does not include the packaging.






KC0302K



KC0303



KC0301

**THE PHOENIX KC0300 SERIES DEEP KEY CABINETS** have been designed to accommodate larger or more bulky keys, which make them ideal for the motor trade or estate agents, where larger keys or more than one key is used.

- **LOCKING** – **KC0300K** – Manufactured with a high quality cylinder lock supplied with 2 keys. **KC0300E** – An economical Electronic Code lock. A simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0300M** – A Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

**FEATURES**

- Key and electronic lock options
- Pre-drilled fixing holes for wall mounting
- Adjustable hook bars, key tabs and key rings with number labels

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	KEY HOOKS
KC0301K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	5kg	50
KC0302K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kg	100
KC0303K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	365mm	17kg	200

All weights are for the product only and does not include the packaging.





THE PHOENIX KC0500 SERIES DEEP PLUS & PADLOCK KEY CABINETS have been designed to accommodate larger bunches of keys or padlocks. Each hook is longer, double spaced and staggered, to give the required space for this application.



- **LOCKING** – **KC0500K** – Manufactured with a high quality cylinder key lock supplied with 2 keys. **KC0500E** – Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0500M** – Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a durable powder coated finish.

**FEATURES**

- Key and electronic lock options
- Pre-drilled fixing holes for wall mounting
- Adjustable hook bars, key tabs and key rings with number labels

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	KEY HOOKS
KC0501K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	6kg	24
KC0502K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kg	50
KC0503K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	360mm	17kg	100

All weights are for the product only and does not include the packaging.





**THE PHOENIX EXTRA SECURITY KEY CABINETS** are high quality Key Cabinets ranging from 50 hooks up to 1500 hook units.

- **LOCKING – KC0070K** – Fitted with a high quality half euro cylinder lock and supplied with 3 keys.
- **KC0070E** – Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning.
- **KC0070M** – Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs.
- **CONSTRUCTION** – Solid square cornered construction and 2.5mm thick steel plate.
- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars, key tags, rings, labels and a removable control index. The KC0076 & KC0077 are two large freestanding units with 1,000 & 1,500 key hooks, 180 degree door opening and Safe style hinges.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

**FEATURES**

- Key, combination and electronic lock options
- Adjustable hook bars, key tags, rings, labels and control index
- From 50 to 1,500 key hooks.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	KEY HOOKS
KC0071K/E/M	350 x 380 x 80mm	11kg	50
KC0072K/E/M	550 x 380 x 80mm	17kg	100
KC0073K/E/M	550 x 380 x 140mm	24kg	200
KC0074K/E/M	550 x 730 x 140mm	35kg	400
KC0075K/E/M	550 x 730 x 205mm	45kg	600
KC0076K/E/M	1300 x 730 x 250mm	110kg	1000
KC0077K/E/M	1500 x 730 x 250mm	130kg	1500





KC0081



KC0083



KC0082

**THE PHOENIX KEY CONTROL CABINETS** are high quality Key Cabinets providing mechanical access control for keys.


- **LOCKING – KC0080M** – Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs. **KC0080E** – Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning.
- **KEY HOOKS / PEGS** – Number of retention pegs: 25, 50 or 100 and number of key hooks: 10, 30 or 50.
- **CONSTRUCTION** – Solid square body construction with 2.5mm thick steel body and 3mm door.
- **SPECIAL FEATURES** – Peg in, peg out key control board for added key accountability. Supplied with colour coded square key tags. Extra key hooks on the door.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

**FEATURES**

- Combination and electronic lock options
- Peg in, peg out key control board.
- Colour coded key tags.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	RETENTION PEGS	ACCESS PEGS	KEY HOOKS
KC0081M/E	310 x 550 x 210mm	18kg	25	10	10
KC0082M/E	490 x 550 x 210mm	28kg	50	25	30
KC0083M/E	850 x 550 x 210mm	45kg	100	50	50

All weights are for the product only and does not include the packaging.





MB0121KA



MB0122KA



MB0123KS



MB0124KS

Solar panel

Newspaper holder



MB0125KS



MB0126KW

**ESTILO MB0120 SERIES** are a range of secure, ultra stylish letter boxes. Durable and attractive, the Estilo range is ideal for the modern home.


- **LOCKING** – Fitted with a high quality key-lock and supplied with 2 keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- **SPECIAL FEATURES** – Newspaper holder at the base. MB0125KS has a light panel that illuminates your house number at night (numbers provided), powered by solar energy with rechargeable battery backup.
- **FINISH** – A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – Finished in a high quality graphite grey powder coating (MB0121KA & MB0122KA), stainless steel (MB0123KS, MB0124KS & MB0125KS) or wood finish (MB0126KW).

**FEATURES**

- High quality key locking
- Galvanised zinc weather-proof and corrosion resistant coating
- Available in colour options - anthracite, oak wood effect and stainless steel

MODEL NUMBER	LOADING	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	LETTERSLOP H x W	NEWSPAPER HOLDER H x W x D	WEIGHT
MB0121KA	Top	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	90 x 365 x 80mm	3kg
MB0122KA	Front	450 x 350 x 105mm	315 x 330 x 90mm	38 x 325mm	90 x 365 x 80mm	3kg
MB0123KS	Top	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	90 x 365 x 80mm	3kg
MB0124KS	Top	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	90 x 365 x 80mm	3kg
MB0125KS	Top	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	90 x 365 x 80mm	3kg
MB0126KW	Top	410 x 370 x 130mm	400 x 360 x 120mm	30 x 335mm	90 x 365 x 80mm	3kg

All weights are for the product only and does not include the packaging.





PB0581BK



PB1331AAK



PB1331AWK



PB1121AAK

**THE PHOENIX PB0580 SERIES PARCEL BOX** is a range of all-weather outdoor smart parcel deposit boxes for receiving and securing multiple home delivery parcels. Ideal for busy households. Never miss a parcel delivery again with an easy to use, parcel box.

- **PACKAGES** – **PB0581BK** – Able to receive packages up to 320x200x120mm.  
**PB1331AAK & PB1331AWK** – Able to receive packages up to 365x250x130mm.  
**PB1121AAK** – Able to receive packages up to 380x400x150mm with a separate compartment for letters.
- **SMART SYSTEM** – Features a unique barcode that can be scanned or recorded as proof of delivery by the courier, if required.
- **WATER RESISTANCE** – Designed to protect your parcels from all weather conditions, rust resistant and weather proof powder coating.
- **LOCKING** – Fitted with high quality key lock (2 keys supplied).
- **CONSTRUCTION** – Manufactured from a strong galvanised steel with robust steel structure for long-lasting use.
- **SPECIAL FEATURES** – Fitted with a built in 'Anti-Fishing' device. Your parcels are locked within the lower compartment, only allowing you to retrieve them with your key.
- **ASSEMBLY** – **PB0581BK & PB1121AAK** are supplied flatpacked for easy self-assembly (Assembly kit supplied). **PB1331's** are supplied fully built.
- **FIXING** – Designed to be fixed and secured to a wall or to the floor (fixtures and fittings supplied).
- **COLOUR** – Finished in a high quality powder coating. **PB1331AAK & PB1121AAK** in graphite grey. **PB1331AWK** in graphite grey with wood effect and **PB0581BK** in black.

**FEATURES**


- High quality key lock
- 'Anti-Fishing' device – parcels only retrievable with your key
- Galvanised steel with weather-proof and corrosion resistant coating
- Available in colour options – graphite grey, oak wood effect and black




MODEL NUMBER	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY
PB0581BK	●	580 x 440 x 350mm	510 x 408 x 295mm	12.5kg	61 Litres
PB1331AAK	●	580 x 450 x 350mm	385 x 325 x 300mm	15kg	42 Litres
PB1331AWK	●●	580 x 450 x 350mm	385 x 325 x 300mm	15kg	42 Litres
PB1121AAK	●	1120 x 500 x 380mm	398 x 417 x 350mm	26kg	60 Litres

All weights are for the product only and does not include the packaging.





*phoenix*  
SAFE COMPANY LIMITED



## NEW WEBSITE

Latest Products

Smart Navigation

Responsive Design

Expanded Resources

[www.phoenixsafe.co.uk](http://www.phoenixsafe.co.uk)

# phoenix

SAFE COMPANY LIMITED



## UNITED KINGDOM

APEX HOUSE 1 ORRELL MOUNT,  
LIVERPOOL, L20 6NS  
+44 (0)151 944 6444  
info@phoenixsafe.co.uk



## GERMANY

PHOENIX SAFE DEUTSCHLAND GmbH  
BAHNSTR. 23, D-42327 WUPPERTAL  
+49 (0) 202 / 69519-0  
info@phoenixsafe.de



## FRANCE

326 RUE HENRI BECQUEREL, ALLÉE D  
BÂTIMENT D9, 60230 CHAMBLY  
+33 (0) 175 384 868  
info@phoenixsafe.fr



## SPAIN

AVDA, DE LA INDUSTRIA  
52 POLÍGONO INDUSTRIAL,  
28823 COSLADA, MADRID  
+34 670 786 500  
info@phoenixsafe.es



## UNITED STATES

382 N MOUNT ZION ROAD, P.O. BOX 608,  
LEBANON, INDIANA, 46052  
+1 (765) 483 0954  
phoenix@phoenixsafeusa.com

*Manufacturers of safes since 1799*

[www.phoenixsafe.com](http://www.phoenixsafe.com)

[www.batterysafes.com](http://www.batterysafes.com)

