Sammy:

The curved backrest of the Sammy ergonomic chair is designed to strategically align, support and protect your spine, back and neck. The mesh back promotes natural airflow. The integrated lumbar support helps to alleviate some of the weight placed on your lower back. The Sammy chair promotes better posture which improves and eases the ailments, aches and pains of musculoskeletal pain.



Technical:

| Assembly required | Yes |
|---------------------------------|---|
| Assembly level | Easy, about 15 minutes |
| Measurements | 680mm wide x 590mm deep x 985-1115mm high |
| Base | 5-Star base Black |
| Fabric Available | Bondai |
| Seat slide adjustment | No |
| Height adjustment range | Yes |
| Synchronised mechanism | Yes |
| Tensioner | Yes |
| Mesh back | Yes |
| Weight balance | Yes |
| Lumbar support | Yes, adjustable lumbar |
| Adjustable armrest range | Yes, height adjustable with sliding pads |
| Headrest | No |
| Back position locking mechanism | Yes |

| Number of locking points | 3 |
|---------------------------------|--|
| Seat pad forward and back range | No |
| Seat and back dimensions | Seat - 490x395 Back - 450x570 |
| Lumber belt | Yes |
| Seat slide range | х |
| Foam and fabric test numbers | 150.000 rubs |
| Back position locking mechanism | Yes. 2 locking positions |
| Gas lift height | 450-580mm |
| Back material | Mesh |
| Base material | Polyurethane |
| Max weight capacity | 110 kg |
| Certificate | CATAS EN 1335-1:2020, EN 1335-2:2018, EN 1728:2012+AC:2013, y EN 1022:2018 |
| Foam test numbers | See below. |



QC 9 REV 004

CERTIFICATE OF CONFORMITY

To: bracken

Date: 15.07.2020

This is to certify that the grades of foam listed below comply fully with the requirements of The Furniture and Furnishings Fire & Safety Regulations 1988, amended 1989 and I.S. 419: 1988.

| Grade | Test Report No | Quantity |
|-------|----------------|----------|
| 24h | 43-7 | 1 |
| 40h | 28-7 | 1 |
| | | |
| | | |
| | | |
| | | |
| 18-7 | - S | |
| 5 | | |
| | 4 | |

SIGNED: P. 1. Anches

For and on behalf of KAYFOAM WOOLFSON.