

## TWINWALL POLYCARBONATE SHEETING



## STORM POLYCARBONATE

STORM polycarbonate is high-quality, durable and available in multiple thicknesses and colours. There are over 600 stock sheet sizes to choose from. Sheeting can also be cut to your specific requirements.

- All co-extruded with UV protection layer
- Outstanding strength-to-weight ratio
- Energy saving
- Lightweight and easy to handle



## 4 mm Clear Twinwall for Greenhouse Glazing

Code	Width	Available Lengths
PC4-C	610	2440
	1220	2440


## 4 mm Clear Twinwall

Code	Width	Available Lengths					
PC4-C	700	2000	2500	3000	3500	4000	6000
	1050	2000	2500	3000	3500	4000	6000
	1400	2000	2500	3000	3500	4000	6000
	2100	2000	2500	3000	3500	4000	6000

## 6 mm Clear Twinwall


Code	Width	Available Lengths						
PC6-C	700	2000	2500	3000	3500	4000	5000	7000
	1050	2000	2500	3000	3500	4000	5000	7000
	1400	2000	2500	3000	3500	4000	5000	7000
	2100	2000	2500	3000	3500	4000	5000	7000

## TWINWALL POLYCARBONATE SHEETING



## 10 mm Clear Twinwall

Code	Width	Available Lengths								
PC10-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1250	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000




## 10 mm Bronze or Opal Twinwall

Code	Width	Available Lengths								
PC10-B / PC10-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

## MULTIWALL POLYCARBONATE SHEETING

## MULTIWALL POLYCARBONATE SHEETING




### 16 mm Clear Multiwall

Code	Width	Available Lengths								
PC16-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1250	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

### 25 mm Clear Multiwall

Code	Width	Available Lengths								
PC25-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000




### 16 mm Bronze or Opal Multiwall

Code	Width	Available Lengths								
PC16-B/ PC16-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

### 25 mm Bronze or Opal Multiwall

Code	Width	Available Lengths								
PC25-B/ PC25-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

## MULTIWALL POLYCARBONATE SHEETING



**25 mm Solarguard or Bronze/Opal Multiwall**

Code	Width	Available Lengths								
PC25-SG / PC25-BO	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000



**35 mm Clear Multiwall**


Code	Width	Available Lengths								
PC35-C	700	2000	2500	3000	3500	4000	4500	5000	7000	
	1050	2000	2500	3000	3500	4000	4500	5000	7000	
	1400	2000	2500	3000	3500	4000	4500	5000	7000	
	2100	2000	2500	3000	3500	4000	4500	5000	7000	

## MULTIWALL POLYCARBONATE SHEETING



**35 mm Bronze or Opal Multiwall**

Code	Width	Available Lengths								
PC35-B / PC35-O	700	2000	2500	3000	3500	4000	4500	5000	7000	
	1050	2000	2500	3000	3500	4000	4500	5000	7000	
	1400	2000	2500	3000	3500	4000	4500	5000	7000	
	2100	2000	2500	3000	3500	4000	4500	5000	7000	



**35 mm Solarguard or Bronze/Opal Multiwall**

Code	Width	Available Lengths								
PC35-SG / PC35-BO	700	2000	2500	3000	3500	4000	4500	5000	7000	
	1050	2000	2500	3000	3500	4000	4500	5000	7000	
	1400	2000	2500	3000	3500	4000	4500	5000	7000	
	2100	2000	2500	3000	3500	4000	4500	5000	7000	

## POLYLOC ROOFING SYSTEM



## POLYLOC

PolyLoc is an easy-to-fit roofing panel that clicks together to create an instant roof. PolyLoc panels are the perfect DIY roofing solution, and installation only requires standard tools. Panels can just be cut to the required length, screwed into place, clicked together and finished with sheet closure.

- Perfect for DIY
- Manufactured from impact-resistant and long-lasting polycarbonate
- Added UV protection
- Available in 2 colours: Opal and Clear
- Panels are 500 mm wide and available in 2 m, 3 m, or 4 m lengths



## SOLID POLYCARBONATE



## SOLID POLYCARBONATE

STORM solid polycarbonate is a reliable range of flat, extruded polycarbonate sheets with the transparency of glass and the strength of steel.

- Can be cold bent, fabricated and formed
- UV protection on both sides
- Cut-to-size service also available
- Virtually unbreakable



Thickness (mm)	Size				
2	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
3	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
4	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	2050 x 6100
5	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
6	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	2050 x 6100
8	-	-	1525 x 2050	2050 x 3050	-
10	-	-	1525 x 2050	2050 x 3050	-
12	-	-	1525 x 2050	2050 x 3050	-

## SELF-SUPPORTING GLAZING SYSTEM



## Wallplates

Code	Size (m)	Colour
WP3-W	3	White
WP4-W	4	White
WP6-W	6	White
WP3-B	3	Brown
WP4-B	4	Brown
WP6-B	6	Brown



## Wallplate Joiner

Code	Colour
WPJ	Mill



## Eavesbeam

Code	Size (m)	Colour
EA3-W	3	White
EA4-W	4	White
EA6-W	6	White
EA3-B	3	Brown
EA4-B	4	Brown
EA6-B	6	Brown



## Eavesbeam Joiner

Code	Colour
EAJ	Mill

## SELF-SUPPORTING GLAZING SYSTEM

Economy Glazing Bar  
(Complete with One End Cap)

Code	Size (m)	Colour
ECO20-W	2	White
ECO25-W	2.5	White
ECO30-W	3	White



## Economy End Cap

Code	Colour
ECEC-W	White

Heavy-Duty Glazing Bar  
(Complete with One End Cap)

Code	Size (m)	Colour
HD30-W	3	White
HD35-W	3.5	White
HD40-W	4	White
HD60-W	6	White
HD30-B	3	Brown
HD35-B	3.5	Brown
HD40-B	4	Brown
HD60-B	6	Brown



For technical support, please contact the team at **STORM**

## SELF-SUPPORTING GLAZING SYSTEM



For downloadable product resources, including product datasheets, visit [stormbuildingproducts.com](http://stormbuildingproducts.com)



## Heavy-Duty End Cap

Code	Colour
HDEC-W	White
HDEC-B	Brown



## Glass Lock

Code	Colour
GLASSLOCK	Mill



## Edge Bar

(Complete with One End Cap)

Code	Size (m)	Colour
ED20-W	2	White
ED25-W	2.5	White
ED30-W	3	White
ED35-W	3.5	White
ED40-W	4	White
ED60-W	6	White
ED20-B	2	Brown
ED25-B	2.5	Brown
ED30-B	3	Brown
ED35-B	3.5	Brown
ED40-B	4	Brown
ED60-B	6	Brown

## SELF-SUPPORTING GLAZING SYSTEM



## End Bar Adaptor

Code	Size (m)	Colour
EBA20-W	2	White
EBA25-W	2.5	White
EBA30-W	3	White
EBA35-W	3.5	White
EBA40-W	4	White
EBA60-W	6	White
EBA20-B	2	Brown
EBA25-B	2.5	Brown
EBA30-B	3	Brown
EBA35-B	3.5	Brown
EBA40-B	4	Brown
EBA60-B	6	Brown



## Gutter Packs

Code	Size (m)	Colour
GUT4-W	4	White
GUT8-W	8	White
GUT4-B	4	Brown
GUT8-B	8	Brown



## Gutter Brackets

Code	Colour
GB-W	White
GB-B	Brown

## SELF-SUPPORTING GLAZING SYSTEM



Fixing Pack - Screws

Code	Description
FIX	Contains 30 Self-Drilling Screws



Fixing Pack - Screws & Adaptor

Code	Description
FIXA	Contains 30 Self-Drilling Screws & Adaptor



Carport Legs (Includes Brackets)

Code	Size (m)	Colour
CPLSET-2.4WH	2.4	White
CPLSET-3.4WH	3.4	White
CPLSET-2.4GR	2.4	Anthracite Grey
CPLSET-3.4GR	3.4	Anthracite Grey



Lead Flashing Tray

Code	Size (m)
LFT2	2
LFT4	4



Leading the industry  
with superior quality  
products

**STORM is on a mission to provide unparalleled access to building product solutions across the UK. From polycarbonate roofing to outdoor living products, there is a STORM solution to best suit your project requirements.**

All STORM products are vetted by our team of experts before being added to our product ranges to ensure they provide the superior quality you need for your projects.



We're ready to meet your requirements. **Speak to your local stockist or contact STORM**

## RAFTER SUPPORTED SYSTEM

RAFTER  
SUPPORTED SYSTEM

Ideal for timber-supported roofs, including conservatories and gazebos.

- Made to suit 10, 16 and 25 mm glazing
- Available in three colours



Rafter-Supported Snap  
Down Glazing Bar (10-25 mm)

Code	Size (m)	Colour
RB20-W	2	White (RAL 9010)
RB25-W	2.5	White (RAL 9010)
RB30-W	3	White (RAL 9010)
RB40-W	4	White (RAL 9010)
RB50-W	5	White (RAL 9010)
RB60-W	6	White (RAL 9010)
RB20-G	2	Grey (RAL 7016)
RB30-G	3	Grey (RAL 7016)
RB40-G	4	Grey (RAL 7016)
RB50-G	5	Grey (RAL 7016)
RB60-G	6	Grey (RAL 7016)
RB20-B	2	Brown (RAL 8040)
RB25-B	2.5	Brown (RAL 8040)
RB30-B	3	Brown (RAL 8040)
RB40-B	4	Brown (RAL 8040)
RB50-B	5	Brown (RAL 8040)
RB60-B	6	Brown (RAL 8040)



Rafter Bar Edge Trim

Code	Size (m)	Colour
ET20-W	2	White (RAL 9010)
ET25-W	2.5	White (RAL 9010)
ET30-W	3	White (RAL 9010)
ET40-W	4	White (RAL 9010)
ET50-W	5	White (RAL 9010)
ET60-W	6	White (RAL 9010)
ET20-G	2	Grey (RAL 7016)
ET30-G	3	Grey (RAL 7016)
ET40-G	4	Grey (RAL 7016)
ET50-G	5	Grey (RAL 7016)
ET60-G	6	Grey (RAL 7016)
ET20-B	2	Brown (RAL 8040)
ET25-B	2.5	Brown (RAL 8040)
ET30-B	3	Brown (RAL 8040)
ET40-B	4	Brown (RAL 8040)
ET50-B	5	Brown (RAL 8040)
ET60-B	6	Brown (RAL 8040)

## RAFTER SUPPORTED SYSTEM



Rafter Bar End Cap

Code	Colour
RBEC-W	White (RAL 9010)
RBEC-G	Grey (RAL 7016)
RBEC-B	Brown (RAL 8040)



Rafter Bar Bridging

Code	Colour
RB-BDG-W	White (RAL 9010)
RB-BDG-G	Grey (RAL 7016)
RB-BDG-B	Brown (RAL 8040)



10 mm PVC F Section

Code	Size (m)	Colour
PVCF102-W	2	White (RAL 9010)
PVCF103-W	3	White (RAL 9010)
PVCF104-W	4	White (RAL 9010)
PVCF105-W	5	White (RAL 9010)
PVCF106-W	6	White (RAL 9010)
PVCF102-G	2	Grey (RAL 7016)
PVCF103-G	3	Grey (RAL 7016)
PVCF104-G	4	Grey (RAL 7016)
PVCF105-G	5	Grey (RAL 7016)
PVCF106-G	6	Grey (RAL 7016)
PVCF102-B	2	Brown (RAL 8040)
PVCF103-B	3	Brown (RAL 8040)
PVCF104-B	4	Brown (RAL 8040)
PVCF105-B	5	Brown (RAL 8040)
PVCF106-B	6	Brown (RAL 8040)

## RAFTER SUPPORTED SYSTEM



16 mm PVC F Section

Code	Size (m)	Colour
PVCF162-W	2	White (RAL 9010)
PVCF163-W	3	White (RAL 9010)
PVCF164-W	4	White (RAL 9010)
PVCF165-W	5	White (RAL 9010)
PVCF166-W	6	White (RAL 9010)
PVCF162-G	2	Grey (RAL 7016)
PVCF163-G	3	Grey (RAL 7016)
PVCF164-G	4	Grey (RAL 7016)
PVCF165-G	5	Grey (RAL 7016)
PVCF166-G	6	Grey (RAL 7016)
PVCF162-B	2	Brown (RAL 8040)
PVCF163-B	3	Brown (RAL 8040)
PVCF164-B	4	Brown (RAL 8040)
PVCF165-B	5	Brown (RAL 8040)
PVCF166-B	6	Brown (RAL 8040)



25 mm PVC F Section

Code	Size (m)	Colour
PVCF252-W	2	White (RAL 9010)
PVCF253-W	3	White (RAL 9010)
PVCF254-W	4	White (RAL 9010)
PVCF255-W	5	White (RAL 9010)
PVCF256-W	6	White (RAL 9010)
PVCF252-G	2	Grey (RAL 7016)
PVCF253-G	3	Grey (RAL 7016)
PVCF254-G	4	Grey (RAL 7016)
PVCF255-G	5	Grey (RAL 7016)
PVCF256-G	6	Grey (RAL 7016)
PVCF252-B	2	Brown (RAL 8040)
PVCF253-B	3	Brown (RAL 8040)
PVCF254-B	4	Brown (RAL 8040)
PVCF255-B	5	Brown (RAL 8040)
PVCF256-B	6	Brown (RAL 8040)

## RAFTER SUPPORTED SYSTEM



10 mm Aluminium F Section

Code	Size (m)	Colour
AF103-W	3	White (RAL 9010)
AF104-W	4	White (RAL 9010)
AF105-W	5	White (RAL 9010)
AF106-W	6	White (RAL 9010)
AF103-G	3	Grey (RAL 7016)
AF104-G	4	Grey (RAL 7016)
AF105-G	5	Grey (RAL 7016)
AF106-G	6	Grey (RAL 7016)
AF103-B	3	Brown (RAL 8040)
AF104-B	4	Brown (RAL 8040)
AF105-B	5	Brown (RAL 8040)
AF106-B	6	Brown (RAL 8040)



16 mm Aluminium F Section

Code	Size (m)	Colour
AF163-W	3	White (RAL 9010)
AF164-W	4	White (RAL 9010)
AF165-W	5	White (RAL 9010)
AF166-W	6	White (RAL 9010)
AF163-G	3	Grey (RAL 7016)
AF164-G	4	Grey (RAL 7016)
AF165-G	5	Grey (RAL 7016)
AF166-G	6	Grey (RAL 7016)
AF163-B	3	Brown (RAL 8040)
AF164-B	4	Brown (RAL 8040)
AF165-B	5	Brown (RAL 8040)
AF166-B	6	Brown (RAL 8040)




From product information to technical guidance, our experts are on-hand

Contact your local stockist or visit [stormbuildingproducts.com](http://stormbuildingproducts.com)

From 10 mm Clear Twinwall to 35 mm Solarguard Polycarbonate sheeting, We have the solution for you

Explore the range online at [stormbuildingproducts.com](http://stormbuildingproducts.com)



## RAFTER SUPPORTED SYSTEM



## 25 mm Aluminium F Section

Code	Size (m)	Colour
AF253-W	3	White (RAL 9010)
AF254-W	4	White (RAL 9010)
AF255-W	5	White (RAL 9010)
AF256-W	6	White (RAL 9010)
AF253-G	3	Grey (RAL 7016)
AF254-G	4	Grey (RAL 7016)
AF255-G	5	Grey (RAL 7016)
AF256-G	6	Grey (RAL 7016)
AF253-B	3	Brown (RAL 8040)
AF254-B	4	Brown (RAL 8040)
AF255-B	5	Brown (RAL 8040)
AF256-B	6	Brown (RAL 8040)



## 35 mm Aluminium F Section

Code	Size (m)	Colour
AF353-W	3	White (RAL 9010)
AF354-W	4	White (RAL 9010)
AF355-W	5	White (RAL 9010)
AF356-W	6	White (RAL 9010)
AF353-B	3	Brown (RAL 8040)
AF354-B	4	Brown (RAL 8040)
AF355-B	5	Brown (RAL 8040)
AF356-B	6	Brown (RAL 8040)

## Lean-to-Flashing Trim

Code	Size (m)	Colour
LTF3W	3	White (RAL 9010)
LTF6W	6	White (RAL 9010)
LTF3GY	3	Grey (RAL 9023)
LTF6GY	6	Grey (RAL 9023)
LTF3B	3	Brown (RAL 8040)
LTF6B	6	Brown (RAL 8040)

## RAFTER SUPPORTED SYSTEM



## PVC Sheet Closure

Code	Thickness (mm)	Colour
SC10-W	10	White (RAL 9010)
SC16-W	16	White (RAL 9010)
SC25-W	25	White (RAL 9010)
SC35-W	35	White (RAL 9010)
SC10-G	10	Grey (RAL 7016)
SC16-G	16	Grey (RAL 7016)
SC25-G	25	Grey (RAL 7016)
SC35-G	35	Grey (RAL 7016)
SC10-B	10	Brown (RAL 8040)
SC16-B	16	Brown (RAL 8040)
SC25-B	25	Brown (RAL 8040)
SC35-B	35	Brown (RAL 8040)



## Aluminium Sheet Closure

Code	Thickenss (mm)	Colour
ASC10-W	10	White (RAL 9010)
ASC16-W	16	White (RAL 9010)
ASC25-W	25	White (RAL 9010)
ASC35-W	35	White (RAL 9010)
ASC10-B	10	Brown (RAL 8040)
ASC16-B	16	Brown (RAL 8040)
ASC25-B	25	Brown (RAL 8040)
ASC35-B	35	Brown (RAL 8040)



## Fixing Buttons (Pack of 10)

Code	Size (mm)	Colour
FB10-W	10	White
FB16-W	16	White
FB25-W	25	White
FB10-C	10	Clear
FB16-C	16	Clear
FB25-C	25	Clear
FB10-B	10	Brown
FB16-B	16	Brown
FB25-B	25	Brown

## RAFTER SUPPORTED SYSTEM

## CAPEX 50 (INCLUDING RAG 45 ON ALL BARS)



## Clear Polycarbonate H-Section

Code	Thickness (mm)	Length (m)
H62	6	2
H63	6	3
H66	6	6
H102	10	2
H103	10	3
H106	10	6
H162	16	2
H163	16	3
H166	16	6




## Clear 2.1 m Polycarbonate U-Profile

Code	Thickness (mm)	Colour
UP6	6	Clear
UP10	10	Clear
UP16	16	Clear

10 m STORM Tape Pack  
(Breather & Aluminium Tape)

Code	Size (mm)
STP10	10
STP16	16
STP25	25
STP35	35



## 10 m Flashing Tape

Code	Size (mm)
FL15-L	150

CAPEX  
50 & 70 SYSTEMS

A screw down aluminium system offering a complete rafter supported roofing solution

- Ideal for glass and polycarbonate
- Suitable for all glazing thicknesses
- Available in three colours

## Capex 50 Concealed Fix Screw Down Glazing Bar

Code	Size (m)	Colour
CAP-50-24W	2.4	White (RAL 9010)
CAP-50-30W	3	White (RAL 9010)
CAP-50-36W	3.6	White (RAL 9010)
CAP-50-48W	4.8	White (RAL 9010)
CAP-50-60W	6	White (RAL 9010)
CAP-50-24GY	2.4	Grey (RAL 9023)
CAP-50-30GY	3	Grey (RAL 9023)
CAP-50-36GY	3.6	Grey (RAL 9023)
CAP-50-48GY	4.8	Grey (RAL 9023)
CAP-50-60GY	6	Grey (RAL 9023)
CAP-50-24B	2.4	Brown (RAL 8040)
CAP-50-30B	3	Brown (RAL 8040)
CAP-50-36B	3.6	Brown (RAL 8040)
CAP-50-48B	4.8	Brown (RAL 8040)
CAP-50-60B	6	Brown (RAL 8040)



## CAPEX 50 (INCLUDING RAG 45 ON ALL BARS)

CGF 50 Gable End  
Finishing Profile

Code	Size (m)	Colour
CGF-50-30W	3	White (RAL 9010)
CGF-50-60W	6	White (RAL 9010)
CGF-50-30GY	3	Grey (RAL 9023)
CGF-50-60GY	6	Grey (RAL 9023)
CGF-50-30B	3	Brown (RAL 8040)
CGF-50-60B	6	Brown (RAL 8040)



Capex 50 PVC End Cap

Code	Colour
CAP-50-EECW	White (RAL 9010)
CAP-50-EECGY	Grey (RAL 9023)
CAP-50-EECB	Brown (RAL 8040)



Capex 50 Bridging

Code	Colour
BDG50-BK	Black



CWF 50 Wall Flashing Profile

Code	Size (m)	Colour
CWF-50-30W	3	White (RAL 9010)
CWF-50-60W	6	White (RAL 9010)
CWF-50-30GY	3	Grey (RAL 9023)
CWF-50-60GY	6	Grey (RAL 9023)
CWF-50-30B	3	Brown (RAL 8040)
CWF-50-60B	6	Brown (RAL 8040)



Capex 50 Aluminium End Cap

Code	Colour
CAP-50-AEECW	White (RAL 9010)
CAP-50-AEECGY	Grey (RAL 9023)
CAP-50-AEECB	Brown (RAL 8040)



Capex 50 Hip Bridging

Code	Colour
HIP-BDG-50-BL	Black

## CAPEX 70 (INCLUDING RAG 55 ON ALL BARS)

Capex 70 Concealed Fix Screw  
Down Glazing Bar

Code	Size (m)	Colour
CAP-70-24W	2.4	White (RAL 9010)
CAP-70-30W	3	White (RAL 9010)
CAP-70-48W	4.8	White (RAL 9010)
CAP-70-60W	6	White (RAL 9010)
CAP-70-24GY	2.4	Grey (RAL 9023)
CAP-70-30GY	3	Grey (RAL 9023)
CAP-70-48GY	4.8	Grey (RAL 9023)
CAP-70-60GY	6	Grey (RAL 9023)
CAP-70-24B	2.4	Brown (RAL 8040)
CAP-70-30B	3	Brown (RAL 8040)
CAP-70-48B	4.8	Brown (RAL 8040)
CAP-70-60B	6	Brown (RAL 8040)

CGF 70 Gable End  
Finishing Profile

Code	Size (m)	Colour
CGF-70-30W	3	White (RAL 9010)
CGF-70-60W	6	White (RAL 9010)
CGF-70-30GY	3	Grey (RAL 9023)
CGF-70-60GY	6	Grey (RAL 9023)
CGF-70-30B	3	Brown (RAL 8040)
CGF-70-60B	6	Brown (RAL 8040)



CWF 70 Wall Flashing Profile

Code	Size (m)	Colour
CWF-70-30W	3	White (RAL 9010)
CWF-70-60W	6	White (RAL 9010)
CWF-70-30GY	3	Grey (RAL 9023)
CWF-70-60GY	6	Grey (RAL 9023)
CWF-70-30B	3	Brown (RAL 8040)
CWF-70-60B	6	Brown (RAL 8040)

## CAPEX 70 (INCLUDING RAG 55 ON ALL BARS)

## CAPEX 70 &amp; CAPEX COMPONENTS



Capex 70 Hip Bar Concealed Fix

Code	Size (m)	Colour
HIP-70-30W	3	White (RAL 9010)
HIP-70-60W	6	White (RAL 9010)
HIP-70-30GY	3	Grey (RAL 9023)
HIP-70-60GY	6	Grey (RAL 9023)
HIP-70-30B	3	Brown (RAL 8040)
HIP-70-60B	6	Brown (RAL 8040)



Capex 70 PVC End Cap

Code	Colour
CAP-70-EECW	White (RAL 9010)
CAP-70-EECGY	Grey (RAL 9023)
CAP-70-EECB	Brown (RAL 8040)



Capex 70 Hip Bridging

Code	Colour
HIP-BDG-70-BL	Black



Capex 70 Hip Jack Cap

Code	Colour
H-JC-70-BL	Black



Capex 70 Aluminium End Cap

Code	Colour
CAP-70-A-EECW	White (RAL 9010)
CAP-70-A-EECGY	Grey (RAL 9023)
CAP-70-A-EECB	Brown (RAL 8040)



Capex 70 Bridging

Code	Colour
BDG-70-BK	Black



Capex MK4 Ridges

Code	Size (m)	Colour
CFX-MK4-30W	3	White (RAL 9010)
CFX-MK4-60W	6	White (RAL 9010)
CFX-MK4-30GY	3	Grey (RAL 9023)
CFX-MK4-60GY	6	Grey (RAL 9023)
CFX-MK4-30B	3	Brown (RAL 8040)
CFX-MK4-60B	6	Brown (RAL 8040)



Capex Ridge Snap Cover

Code	Size (m)	Colour
CFX-SCW	3	White (RAL 9010)
CFX-SCGY	3	Grey (RAL 9023)
CFX-SCB	3	Brown (RAL 8040)

## CAPEX COMPONENTS



Capex Ridge Cap End Cap

Code	Colour
CEC-W	White (RAL 9010)
CEC-GY	Grey (RAL 9023)
CEC-B	Brown (RAL 8040)



Capex Ridge Gable End Cap

Code	Colour
GECKM4-W	White (RAL 9010)
GECKM4-GY	Grey (RAL 9023)
GECKM4-B	Brown (RAL 8040)



Capex Ridge Radius End Cap

Code	Colour
CFX-MK4-RECW	White (RAL 9010)
CFX-MK4-RECGY	Grey (RAL 9023)
CFX-MK4-RECB	Brown (RAL 8040)



Wall End Cap

Code	Colour
WEC-M	Mill Finish

## CAPEX COMPONENTS



Fleur De Lys PVC Finial

Code	Colour
FDLF-W	White (RAL 9010)
FDLF-GY	Grey (RAL 9023)
FDLF-B	Brown (RAL 8040)



Fleur De Lys Aluminium Finial

Code	Colour
FDLF-A-W	White (RAL 9010)
FDLF-A-GY	Grey (RAL 9023)
FDLF-A-B	Brown (RAL 8040)



Fleur De Lys PVC Crest

Code	Colour
FDLC-W	White (RAL 9010)
FDLC-GY	Grey (RAL 9023)
FDLC-B	Brown (RAL 8040)



Fleur De Lys Aluminium Crest

Code	Colour
CREST-FDL-W	White (RAL 9010)
CREST-FDL-GY	Grey (RAL 9023)
CREST-FDL-B	Brown (RAL 8040)

## CAPEX COMPONENTS



Rafter Gasket

Code	Size (m)	Description
RAG45-1	1	RAG 45
RAG45	100	RAG 45
RAG55-1M	1	RAG 55
RAG-55	100	RAG 55



Push Fit Gasket

Code	Size (m)	Colour
DGBS/AS-1M	1	Black
DGBS/AS	150	Black



Hip &amp; Valley Gasket

Code	Size (m)	Colour
HVGASKET-1M	1	Black
HVGASKET	30	Black



Elast-O-Sealant

Code	Size (ml)	Colour
EOS-CL	300	Clear

## CAPEX COMPONENTS



Ankorglaze Condensation Control

Code	Thickness (mm)	Length (m)	Colour
AKG-25-CC-W	25	2.1	White (RAL 9010)
AKG-25-CC-GY	25	2.1	Grey (RAL 9023)
AKG-25-CC-B	25	2.1	Brown (RAL 8040)



Horizontal Glazing Bar

Code	Thickness (mm)	Length (m)	Colour
HGBSS-16/24W	16-24	3	White (RAL 9010)
HGBSS-25/32-W	25-32	3	White (RAL 9010)
HGBSS-16/24GY	16-24	3	Grey (RAL 9023)
HGBSS-25/32-GY	25-32	3	Grey (RAL 9023)
HGBSS-16/24B	16-24	3	Brown (RAL 8040)
HGBSS-25/32-B	25-32	3	Brown (RAL 8040)

## STORMPORT



## STORMPORT

STORMPORT 16 mm self-supporting white canopies are available in a selection of sizes and are suitable for schools, hospitals, smoking shelters, commercial buildings, boathouses and carports.

- Easy installation
- Supplied as a complete kit

Code	Size (mm) (Width x Projection)
STORM6	2000 x 2000
STORM7	3000 x 2000
STORM8	4000 x 2000
STORM9	5000 x 2000
STORM10	6000 x 2000
STORM11	2000 x 3000
STORM12	3000 x 3000
STORM13	4000 x 3000
STORM14	5000 x 3000
STORM15	6000 x 3000
STORM16	2000 x 4000
STORM17	3000 x 4000
STORM18	4000 x 4000
STORM19	5000 x 4000
STORM20	6000 x 4000

## CANOPIES



## CANOPIES

STORM canopies stand up to the elements and offer commercial, residential and industrial applications. A high-quality structure suitable for protection and decoration.

- Bespoke combinations
- Colour-matched fixings
- PVC drainage parts
- Cutting of profiles to bespoke sizes



Vista Lean-To



Vista Apex



Vista Mono